




STORAGE COLLECTION COLONNADE SPECIFICATION GUIDE





### Contents



Colonnade

Colonnade was co-created in partnership with one of KI's longest-standing clients to create a systemised, cost-effective and sustainable solution to create better user-controlled, flexible workspaces. Made for 'hacking' - the system utilises a series of simple components and materials, in different dimensions. Accessories and features can be added and modified as required.

Anchored by 800 Series Storage and Modular Shelving, the stanchions and gantry system can support all sorts of equipment to make collaborative working better - from mobile whiteboards & pinboards, to TV screens, tables, mobile soft seating, power, lighting and acoustic treatments. This system can either be specified as an enhancement to existing KI storage, or be installed as new. Repurposing traditional storage units gives them a new lease of life, reducing waste and carbon footprint.

### Please refer to https://www.kieurope.com/colonnade/ for product finishes.

Warranty Details



### Indoor Advantage Gold - Furniture

This product is certified to Indoor Advantage Gold - Furniture, making it suitable for many building rating systems, including LEED v4, BREEAM, & WELL Building.

### Gantry components

CLD/CLMN/CM/2180



Colonnade Support Stand 2180mm high.	:hion. 200mm x 200mm welded 20	mm steel tube,
Product Code		
CLD/CLMN/2180	Support Stanchion	


Cable Managed Support Stanchion

Colonnade Gantry Rails, 40x40mm square section tube. Includes barrel end connectors and bolts. Prefigured sizes for 2, 3 & 4 800mm and 1000mm wide storage units.


Product Code	Description
CLD/40/CUBE/2S	2 way connector
CLD/40/CUBE/3S	3 way connector
CLD/40/CUBE/4S	4 way connector
CLD/ALUCAP	Aluminium cube cap

CLD/RAIL/BKT


Rail Connector Plate. Includes fixings.




	Top rail with 3 slots. Use on outer perimeter.	
	Product Code	Size
	CLD/1520/3S	1600 (actual 1520mm)
	CLD/2320/3S	2400 (actual 2320mm)
	CLD/3120/3S	3200 (actual 3120mm)
	CLD/1920/3S	2000 (actual 1920mm)
	CLD/2920/3S	3000 (actual 2920mm)
	CLD/3920/3S	4000 (actual 3920mm)
	Top rail with 4 slots. Use on inside sect	ions.
	Product Code	Size
	CLD/1520/4S	1600 (actual 1520mm)
	CLD/2320/45	2400 (actual 2320mm)
	CLD/3120/45	3200 (actual 3120mm)
	CLD/1920/4S	2000 (actual 1920mm)
**	CLD/2920/45	3000 (actual 2920mm)
	CLD/3920/4S	4000 (actual 3920mm)



### Gantry components



## Prefigured gantries




A selection of frequently specified sizes. For other configurations please contact your KI Sales Manager to discuss your requirements.

	Single Bay Gantry
Product Code	Size (A x B)
CLD/1B/2020	2000mm x 2000mm
CLD/1B/2424	2400mm x 2400mm
CLD/1B/3020	3000mm x 2000mm
CLD/1B/3030	3000mm x 3000mm
CLD/1B/3040	3000mm x 4000mm
CLD/1B/4040	4000mm x 4000mm


A selection of frequently specified sizes. For other configurations please contact your KI Sales Manager to discuss your requirements.


	Three Bay Gantry
Product Code	Size (A x B)
CLD/3B/2060	2000mm x 6000mm
CLD/3B/3072	3000mm x 7200mm
CLD/3B/3090	3000mm x 9000mm
CLD/3B/4090	4000mm x 9000mm
CLD/3B/40120	4000mm x 12000mm



Product Code	Two Bay Gantry Size (A x B)
CLD/2B/2040	2000mm x 4000mm
CLD/2B/2060	2000mm x 6000mm
CLD/2B/2448	2400mm x 4800mm
CLD/2B/3048	3000mm x 4800mm
CLD/2B/3060	3000mm x 6000mm
CLD/2B/4080	4000mm x 8000mm

Product Code	'L' Shape Three Bay Gantry Size (A x B)
CLD/3BL/4040	4000mm x 4000mm
CLD/3BL/4848	4800mm x 4800mm
CLD/3BL/6060	6000mm x 6000mm
CLD/3BL/8080	8000mm x 8000mm





## Prefigured shelving

the complete range.



	Description	Product Code	Width
	3 High	8SH/A5/800/CLD	800mm
		8SH/A5/1000/CLD	1000mm
	4 High	8SH/A7/800/CLD	800mm
		8SH/A7/1000/CLD	1000mm
	6 High	85H/A11/800/CLD	800mm
		85H/A11/1000/CLD	1000mm
Ţ	4 High Seating Storage (includes 4 standard steel shelves)	8SH/SEATING/457/CLD	457mm
J		8SH/SEATING/800/CLD	800mm
4		8SH/SEATING/1000/CLD	1000mm

Prefigured 800 Series Shelving Units. 3 levels go on 1075mm high storage, 4 levels

to go on 715mm high storage, 6 levels for floorstanding shelving and a 4 level unit

with shelves for seating storage. <u>Each unit includes one gantry connecting top shelf</u> and ganging rails.Refer to the 800 Series Shelving Specification Guide for details of 715mm & 1075mm high 800 Series Storage units. Refer Specification Guide for details of the complete range.

	715mm High
Description	Product Code
<b>2 Drawer</b> 2x 305mm drawers, 33mm blank	84ML/802552D
top infill panel.	84ML/1002552D
Two door cupboard	8ML/80255HX
	8ML/100255HX
	1075mm High
Description	Product Code
<b>3 Drawer</b> 2x 305mm drawers, 1x 381mm bottom drawer.	84ML/803903D
	84ML/1003903D
3 Drawer Ix 38 Imm receding door with slotted shelf.	84ML/803901F2D
2x 305mm drawers	84ML/1003901F2D
6 Locker Doors 2 wide by 3 high	8ML/804052X3L
	8ML/1004052X3L
Two door cupboard	8ML/80390HX
	8ML/100390HX
Two door TV cupboard with cable access in base and top	8ML/100390HX/CM

## 800 Series storage cabinets

to the 800 Series	
Width	
800mm	
1000mm	
800mm	
1000mm	
Width	
800mm	
1000mm	
800mm	
1000mm	- <u>-</u>
800mm	
1000mm	· · ·
000	

1000mm

1000mm

800mm



	Steel Shelves - al	i fixings included	
Product Code	Width		
8SH/SSH/08/756	800mm		
8SH/SSH/10/956	1000mm		
8SH/SSH/10/CM/956	1000mm cable	managed	
Steel Vertical Back Panels - all fixings included			
Product Code	Width	Height	
8SH/BP/340/08/760	800mm	S (340mm)	
8SH/BP/340/10/960	1000mm	S (340mm)	
8SH/BP/520/08/760	800mm	M (520mm)	
8SH/BP/520/10/960	1000mm	M (520mm)	
8SH/BP/700/08/760	800mm	L (700mm)	
8SH/BP/700/10/960	1000mm	L (700mm)	
Perforated S	Steel Vertical Bac	k Panels - all fixings included	
Product Code	Width	Height	
	800mm		
8SH/PBP/340/08/760	00011111	S (340mm)	
8SH/PBP/340/10/960	1000mm	S (340mm) S (340mm)	
8SH/PBP/340/10/960	1000mm		
8SH/PBP/340/10/960	1000mm	S (340mm)	
8SH/PBP/340/10/960 Steel	1000mm Vertical Side Pan	S (340mm) els - all fixings included	
8SH/PBP/340/10/960 Steel Code	1000mm Vertical Side Pan Depth	S (340mm) els - all fixings included Height	
8SH/PBP/340/10/960 Steel 2 Steel 2 Product Code 8SH/SP/340/417	1000mm Vertical Side Pane Depth 457mm	S (340mm) els - all fixings included Height S (340mm)	
8SH/PBP/340/10/960 Steel   Steel Steel   Product Code SH/SP/340/417   8SH/SP/340/417 SSH/SP/340/417   8SH/SP/520/417 SSH/SP/700/417	1000mm Vertical Side Pane Depth 457mm 457mm 457mm	S (340mm) els - all fixings included Height S (340mm) M (520mm)	
8SH/PBP/340/10/960 Steel   Steel Steel   Product Code SH/SP/340/417   8SH/SP/340/417 SSH/SP/340/417   8SH/SP/520/417 SSH/SP/700/417	1000mm Vertical Side Pane Depth 457mm 457mm 457mm	S (340mm) els - all fixings included Height S (340mm) M (520mm) L (700mm)	

MFC Sł	nelves - require	e a set of shelf brackets each
Product Code	Width	
8SH/MSH/08/756	800mm	
8SH/MSH/10/956	1000mm	
MFC B	oxes - require	a set of shelf brackets each
Product Code	Width	Height
8SH/MFCBOX/759/339/457	800mm	S (340mm)
8SH/MFCBOX/959/339/457	1000mm	S (340mm)
8SH/MFCBOX/759/519/457	800mm	M (520mm)
8SH/MFCBOX/959/519/457	1000mm	M (520mm)
8SH/MFCBOX/759/699/457	800mm	L (700mm)
8SH/MFCBOX/959/699/457	1000mm	L (700mm)
MFC PI	anters - require	e a set of shelf brackets each
Product Code	Width	
8SH/MFCPLAN/759/150/457	800mm	
8SH/MFCPLAN/959/150/457	1000mm	
8SH/SH/BR		s for MFC & Ply et per insert)
MFC Vertical Front/ Bac	k Panels - each	n panel requires 4No. MFC Vertical Brackets
Product Code	Width	Height
8SH/MFCVP/340/08/758	800mm	S (340mm)
8SH/MFCVP/340/10/958	1000mm	S (340mm)
8SH/MFCVP/520/08/758	800mm	M (520mm)
8SH/MFCVP/520/10/958	1000mm	M (520mm)
8SH/MFCVP/700/08/758	800mm	L (700mm)
8SH/MFCVP/700/10/958	1000mm	L (700mm)
MFC Vertical Side Pa	anels - each pa	nel requires 2No. MFC Vertical Brackets
Product Code	Depth	Height
	457	

Product Code	Depth	Height
8SH/MFCVP/340/04/415	457mm	S (340mm)
8SH/MFCVP/520/04/415	457mm	M (520mm)
8SH/MFCVP/700/04/415	457mm	L (700mm)
8SH/MFCVP/BKT	MFC Vertical bra	acket

## Steel shelving accessories

Ply Sh	elves - require a	a set of shelf brackets each
Product Code	Width	
8SH/PSH/08/756	800mm	
8SH/PSH/10/956	1000mm	
Ply Bo	oxes - require a	set of shelf brackets each
Product Code	Width	Height
8SH/PLYBOX/759/339/457	800mm	S (340mm)
8SH/PLYBOX/959/339/457	1000mm	S (340mm)
8SH/PLYBOX/759/519/457	800mm	M (520mm)
8SH/PLYBOX/959/519/457	1000mm	M (520mm)
8SH/PLYBOX/759/699/457	800mm	L (700mm)
8SH/PLYBOX/959/699/457	1000mm	L (700mm)

Product Code	Width	Height
CLD/PET/800-380	800mm	380mm
CLD/PET/800-560	800mm	560mm
CLD/PET/800-740	800mm	740mm
CLD/PET/800-2180	800mm	2180mm
CLD/PET/1000-380	1000mm	380mm
CLD/PET/1000-560	1000mm	560mm
CLD/PET/1000-740	1000mm	740mm
CLD/PET/1000-2180	1000mm	2180mm


## Rectangular module steel door & drawer inserts

Touch latch cupboard doors with side, back and base panels. For perforations add /P to the code, upcharge of £66.

FOI PERIORATIONS add /F to the co	1 0	
Product Code	Width	Height
8SH/2DR/INSERT/800/340	800mm	S (340mm)
8SH/2DR/INSERT/1000/340	1000mm	S (340mm)
8SH/2DR/INSERT/800/520	800mm	M (520mm)
8SH/2DR/INSERT/1000/520	1000mm	M (520mm)
Locker doors with standard key For perforations add /P to the co		itral divider, side, back, and base panels. 266.
Product Code	Width	Height
8SH/2DRL/INSERT/800/520	800mm	M (520mm)
8SH/2DRL/INSERT/800/520 8SH/2DRL/INSERT/1000/520	800mm 1000mm	M (520mm) M (520mm)
8SH/2DRL/INSERT/1000/520	1000mm 457mm (single door)	M (520mm) M (520mm)
8SH/2DRL/INSERT/1000/520 8SH/1DRL/INSERT/457/520	1000mm 457mm (single door)	M (520mm) M (520mm)
8SH/2DRL/INSERT/1000/520 8SH/1DRL/INSERT/457/520 Touch latch drawers doors with a	1000mm 457mm (single door) side, back and ba	M (520mm) M (520mm) se panels.

		Preserved	Moss Panels
	Product Code	Width	Height
	8SH/MOSSPANEL/720/300	800mm	S (340mm)
	8SH/MOSSPANEL/920/300	1000mm	S (340mm)
	8SH/MOSSPANEL/720/480	800mm	M (520mm)
	8SH/MOSSPANEL/920/480	1000mm	M (520mm)
-	8SH/MOSSPANEL/720/660	800mm	L (700mm)
	8SH/MOSSPANEL/920/660	1000mm	L (700mm)

### Planters & liners




Ply Plar	ters - require a set of shelf brackets	s each
Product Code	Width	
8SH/PLYPLANT/759/150/457	800mm	
8SH/PLYPLANT/959/150/457	1000mm	
MFC Pla	nters - require a set of shelf bracke	ts each
Product Code	Width	
8SH/MFCPLAN/759/150/457	800mm	
8SH/MFCPLAN/959/150/457	1000mm	
8SH/SH/BR	Shelf brackets for MFC & Ply Insert (one set per insert)	
Waterproof Planter Liners -	100% recycled ABS, Black finish. M	IINIMUM 10 ORDER QTY
Product Code	Width	List Price (£)
8SH/80LINER	800mm	
8SH/100LINER	1000mm	


MFC Moss Panel [	Display Boxes - r	equire a set of shelf brackets each
Product Code	Width	Height
8SH/MFCMOSS/759/339/457	800mm	S (340mm)
8SH/MFCMOSS/959/339/457	1000mm	S (340mm)
8SH/MFCMOSS/759/519/457	800mm	M (520mm)
8SH/MFCMOSS/959/519/457	1000mm	M (520mm)
8SH/MFCMOSS/759/699/457	800mm	L (700mm)
8SH/MFCMOSS/959/699/457	1000mm	L (700mm)


### Ply Moss Panel Display Boxes - require a set of shelf brackets each

Product Code	Width	Height
8SH/PLYMOSS/759/339/457	800mm	S (340mm)
8SH/PLYMOSS/959/339/457	1000mm	S (340mm)
8SH/PLYMOSS/759/519/457	800mm	M (520mm)
8SH/PLYMOSS/959/519/457	1000mm	M (520mm)
8SH/PLYMOSS/759/699/457	800mm	L (700mm)
8SH/PLYMOSS/959/699/457	1000mm	L (700mm)
8SH/SH/BR	Shelf brackets fo Insert (one set p	,



## Moss panel boxes





## Rectangular module steel door & drawer inserts


Touch latch cupboard doors with side, back and base panels. For perforations add /P to the code.		
Product Code	Width	Height
8SH/2DR/INSERT/800/340	800mm	S (340mm)
8SH/2DR/INSERT/1000/340	1000mm	S (340mm)
8SH/2DR/INSERT/800/520	800mm	M (520mm)
8SH/2DR/INSERT/1000/520	1000mm	M (520mm)
Locker doors with standard key lock. Includes central divider, side, back, and base panels. For perforations add /P to the code, upcharge of $\pounds 66$ .		
Product Code	Width	Height
8SH/2DRL/INSERT/800/520	800mm	M (520mm)
8SH/2DRL/INSERT/1000/520	1000mm	M (520mm)
8SH/I DRL/INSERT/457/520	457mm (single door)	M (520mm)
Touch latch drawers doors with side, back and base panels.		
Product Code	Width	Height
8SH/DRW/INSERT/800/340	800mm	S (340mm)
8SH/DRW/INSERT/1000/340	1000mm	S (340mm)

Product Code	Description
8SH/TABLE/457-457	457mm x 457mm x 380mm high side table
8SH/TABLE/800-457	800mm x 457mm x 380mm high side table
8SH/TABLE/1000-457	1000mm x 457mm x 380mm high side table
8SH/TABLE/800-800	800mm x 800mm x 380mm high side table
8SH/TABLE/800-1000	800mm x 1000mm x 380mm high side table
8SH/TABLE/1000-1000	1000mm x 1000mm x 380mm high side table


8SH/SEAT/800	00mm x 457mm x 460mm igh seat
8SH/SEAT/1000	000mm x 457mm x460mm igh seat

### Fabric Options: Camira Xtreme


\*Other fabrics available, subject to suitability. Customer's own materials (COM) also available, please confirm with your KI account manager.




Seats



### Accessories



Colonnade stanchion ply shelf




CLD/STANCHION-SHELF










### Curtains

Divider Curtain with rail and low friction runners. Available in three Fabric Bands. Add /**A** etc to the code. Band A - Edmund Bell Manhattan Band B - Kvadrat Daybreak Band C - Kvadrat Drops Acoustic Refer to www.kieurope.com for fabric colours.

For bespoke fabric choices please refer to your KI Sales Manager.

Product Code	Nominal Bay Width
CLD/CURT/2M	2000mm
CLD/CURT/3M	3000mm
CLD/CURT/4M	4000mm



Cube Seat with handle. 400mm x 400mm x 480mm high. Available in five Fabric Bands. Band A - Camira Patina Band B - Camira Mainline Flax Band C - Camira Blazer Band D - Svensson Velvet Pocket & Accessoire Kajal Band E - Kvadrat Rime


Refer to www.kieurope.com for fabric colours.

Product Code
CLD/SEATCUBE/A
CLD/SEATCUBE/B
CLD/SEATCUBE/C
CLD/SEATCUBE/D
CLD/SEATCUBE/E


Ricochet Seat. An active seat with 12 degrees of movement. Refer to www.kieurope.com for colours.

Product Code	Fabric Band
RC410/H450	Ricochet Stool, 450mm high
RC410/H500	Ricochet Stool, 500mm high

## Seating



- ſ
- ٦



### Care & maintenance

KI products are designed and manufactured to withstand the tough demands of work environments. Care and regular light cleaning will keep the furniture looking its best for many years.

### **IMPORTANT CARE & SAFETY INFORMATION**

- Melamine/MFMDF and other decorative worksurfaces will naturally wear over time resulting in shiny patches, particularly parts that are regularly used for mouse control and where the worksurface comes into contact with clothes, skin etc.
- Always use mouse mats to minimise the long-term effects of continuous contact and movement within the same area of the top.
- Once the workstations/tables have been assembled, sited and wired they should not be moved
- Never attempt to drag them across the floor, which will stress and strain the end legs
- Avoid placing your furniture in direct sunlight, as sunlight causes fading
- Mats and coasters must be used as they offer the best protection from scratches, hot liquid and water marks
- Heavy office equipment such as printers should be placed on protective pads to avoid scratches to the worksurface
- Never drag heavy equipment across a worktop as this will damage the worksurface
- Do not immerse any part of the workstations/tables in water or any liquid
- Check all cords (power, control keypad, etc.) every 6 months to make sure there are no kinked, pinched or frayed wires

Should any items of furniture require repair, please contact KI (UK) Ltd for further information.

The guide below is intended to help where furniture has become marked or stained. Please check for colour fading in a discreet area when using any detergents or chemicals. Always follow the manufacturer of the cleaning products' instructions before use.

### GENERAL CARE

Proper care and careful use are the best methods of maintaining the appearance and finish of any product. Any desk or table worksurface is vulnerable to scratching and damage.

Your workstations/tables metal understructure is finished with durable powder-coated paint. Worktops are generally Melamine Faced Chipboard (MFC) or Melamine Faced Medium Density Fibreboard (MFMDF) (laminated).

Other worktop finishes e.g. Lino or Fenix NTM® should be cleaned according to the manufacturer's instructions.

Apart from regular cleaning, KI workstations are considered to be maintenance free however the following should be observed during a bench's lifetime:

### FRAMEWORK

- Where cleaning of the frame is required, a mild detergent solution should be used
- Harsh abrasives, acids, alkalis or bleaching products should not be used
- Touch-up paint in all standard KI colours is available to repair minor chips and scratches. Follow the instructions on the packaging to ensure the best results.

### MFC/ MFMDF WORKTOPS

- Melamine faced worksurfaces will naturally wear over time, particularly parts that are regularly rubbed. Utilizing a mouse mat will protect against this natural wear and tear.
- Work tops are easy to maintain, simply use a damp cloth and a mild detergent or non-abrasive cleaner to keep the surface clean and hygienic
- Potential stains should be removed immediately (the use of abrasive cleaners should always be avoided)
- Use an all-purpose cleaner to remove ink stains, crayon and water-based paint marks
- Use thinners to remove oil-based paint stains (pour onto a soft cloth, not directly on the surface) avoid contact with the worktop edging, as this will cause damage
- Never use excessive water to clean work surfaces. Wetness or excessive moisture can cause laminate worktops to swell, warp or appear to grow in thickness





# STORAGE COLLECTION

KI (UK) Ltd

New Fetter Place 8-10 New Fetter Lane London, EC4A 1AZ Tel:+44 (0)20 7404 7441 workplace@kieurope.com www.kieurope.com

KI and Furnishing Knowledge are registered trademarks of Krueger International Inc









