


CONTENTS


The Most Irusted Name In Education	
The All-round Performer	3
Leading The Way	Į
Seating Collection	8
One Piece Collection	12
One Piece Chair	4
Chair Size Guide	15
One Piece Stool	18
Mixed Material Collection	22
Colour Collection	3
Upholstery Options	43
Specifications	45
Perfect Fit	54
Environmental Overview	57
Additional Information	59





Postura+ is durable, low maintenance, and comfortable and designed for education environments. Created in Australia in the 1990s, it quickly gained popularity in the UK and has since been locally manufactured to meet growing demand and European standards.

The Postura+ collection helps create high performing learning spaces that support students' full potential with its versatile and specialist seating products. Its ergonomic design enhances concentration and comfort, making it excellent value for money by reducing procurement, repair and installation costs. Postura+ is backed by several certifications and a 20 year warranty and is used by millions of students worldwide.







Furniture is crucial in creating optimal learning spaces. Classrooms that once catered to one teaching style are now evolving into problem-solving and collaborative environments.

The learning space must be flexible to adapt to the needs of teachers and students.

Postura+ is the ideal solution for any budget and space, providing comfort, durability and practicality. Its ergonomic design enhances concentration and wellbeing, while its high-quality materials make it durable and easy to move. Plus, it's 100% recyclable and suitable for occasional outdoor use.





Seating Collection



Optional chrome task base with castors or glides

Waterfall

seat edge



Anti-static and anti-rocking for student safety

Chairs stackable to

12 on floor or trolley



Non marking glides







Glass fibre glides to protect floors & frame



Built-in UV filter for outdoor use



Integrated grab handle



Link chairs available in size 5 & 6 for connected seating arrangements



Wide foot rail for comfort and accessibility



Powder coated steel tube legs

Extra-large lower back ventilation





Black nylon task base with castors or glides

Polypropylene Shell





Low Back Stool



High Back Stool





A one piece injection-moulded polypropylene chair, available in 6 sizes and stackable up to 12 high.


- Optional link clip (size 5 & 6)
- Optional transport trolley
- Upholstered seat option available (size 3-6)

3



On Postura+ chairs you can find a colour-coded sticker on the top side of the backrest that corresponds to the table above. The example (below left) shows a blue sticker, so the chair can be identified as a Ash Grey size mark 6 chair.

Size Mark	Colour Code	Seat Height	Seat Width	Seat Depth	Overall Height	Overall Width	Overall Depth	Weight (no seatpad)	Stack Height (12)
T		260mm	280mm	250mm	500mm	360mm	330mm	1.43kg	1365mm
2		310mm	280mm	250mm	550mm	360mm	365mm	1.53kg	1413mm
3		350mm	340mm	310mm	645mm	430mm	420mm	2.34kg	1594mm
4		380mm	340mm	310mm	675mm	430mm	440mm	2.42kg	1627mm
5		430mm	380mm	370mm	760mm	480mm	505mm	3.60kg	1834mm
6		460mm	380mm	370mm	790mm	480mm	525mm	3.73kg	1850mm







Featuring a curved backrest for better lumbar support and superior flexibility to maximise comfort, built-in window providing better ventilation and large footrest for long seated periods.

Certifications:

- BS EN 1729-2 certified
- BS EN 1729-1 compliant
- BS EN 16139 compliant
- 3 heights available



A backless stool option with a large footrest for long seated periods.

Certifications:


- BS EN 1729-2 certified
- BS EN 1729-1 certified
- BS EN 16139 compliant
- 3 heights available




4 Leg On Castors



Low Back Stool




High Back Stool




Low Back Task Chair

Reverse Cantilever



Task Chair



Task Stool

Polypropylene Shell

Frame

Mixed Material



A mobile version of the classic 4 leg postura + chair with 4 legs and castors for easy movement.



The Reverse Cantilever Chair matches the industry leading comfort and durability of our iconic one piece chair, but in a sleek two piece design. Available in 2 sizes.

7

7/



A stool available with footrest for added comfort and nylon glides to protect floors and frames. Available in 3 sizes with an integrated bag hook/grab handle.



A high back stool available in 3 sizes which comes with nylon glides to protect floors and frames. The sled base design comes with an integrated bag hook/grab handle.

75

76



A low back task chair with a height adjustable gas column for added flexibility.



A task chair with a height adjustable gas column for added flexibility.




A task stool with height adjustable gas column for added flexibility and chrome footrest for comfort.





Sustom Colour



We offer customisation options for both polypropylene and metal frame colours, subject to minimum order quantities and additional surcharges.

To ensure accurate colour matching, we require Pantone or RAL references. Custom polypropylene colours require a minimum order quantity of 300 units per size and colour.


Colour Range →













Pantone Black C

Jet Black

Pantone 4139C

chromatic

Slate Grey

Pantone 10C

Iron Grey

Pantone 15-0000 TPX

Ash Grey

1

Band 2 Band I Camira Fabrics Camira Fabrics Chieftan Fabrics Citadel Just Colour (vinyl) Advantage Canopy Gravity Chateau Phoenix Figaro Revit Halcyon - Linden Honeycomb Mainline Flax Mainline Plus Manhattan Marvel Patina Sprint Urban Velocity X2 Xtreme Xtreme CS

Band 3

Camira Fabrics
24/7 +
24/7 Flax
Acrobat
Aquarius
Blazer
Century
Craggan
Craggan Flax

Halcyon - Aspen Halcyon - Blossom

Halcyon - Cedar

Halcyon - Poplar

Intervene Plain
Intervene Texture

Hebden

Hemp Hi-Tech Landscape - Contact Landscape - Synergy Silk Stripes Synergy Touch FR Track Trail

Landscape - Balance

POA

Camira Fabrics
Blazer Quilt Channel
Blazer Quilt
Hourglass
Nettle Collection
Synergy Hourglass
Synergy Quilt
Channel
Synergy Quilt
Chevron
Vintage
Zig Zag

Please confirm with your KI Account Manager for the most up-to-date fabric options, including additional fabric brands.





Tamper proof fixing





NB: Seat pads are available on all Postura+ products except for One Piece Chairs in sizes 1 & 2.

Minimum order of four seat pads apply



See Page 16 for Chair Sizing Guide




360mm - 525mm



Overall Depth 330mm - 525mm

-0




Overall Depth

-O

Overall Depth

-0 Seat Width 384mm











-0 Overall Width 482mm or 483mm or 485mm






















-rame


















rame










Overall Height 440-545mm (glides) 460-565mm (castors


























ENI

EN2




EN3





Popliteal Height Range 250-280mm Stature Range 930-1150mm Age Range Seat Height
310mm
Table Height

Popliteal Height Range 280-315mm Stature Range 1080-1210mm Age Range 4-6




Popliteal Height Range 315-355mm Stature Range 1190-1420mm Age Range 6-8 In January 2007, British and European Standards were established for educational institutions.' BS EN 1729 Part 1 ensures that furniture meets appropriate size, shape, and ergonomic design to promote good posture and reduce RSI and back pain in students. This guide includes size marks for fixed seat and table heights suitable for students of different ages.

The correct seat height is determined by measuring the popliteal height, which is the distance from the floor to the back of the knee when seated with thighs horizontal and lower leg vertical with feet flat on the floor. This measurement is useful in determining the compatible size for existing or older furniture that does not comply with BS EN 1729. Stature is measured from the floor to the top of the head.

It's crucial that table size marks align with chair and stool size marks. EN chairs should ideally match EN tables, ensuring a harmonious and ergonomic environment for students.



3-4




Popliteal Height Range 355-405mm Stature Range 1330-1590mm Age Range 8-11

Seat Height 380mm





Popliteal Height Range 405-435mm Stature Range 1460-1765mm Age Range 11-14



Popliteal Height Range 435-485mm Stature Range 1590-1880mm Age Range 14-Adults erfect fet







Environmental Product Declaration

Download the cradle-to-grave Environmental Product Declaration (EPD) for KI's Postura chair Size 6. The EPD is based on production information and date collected by KI in 2020. It was modelled using SImaPro 9.0.0.24 and data from Ecoinvent version 3.5

Materials Information

Polypropylene chairs & Shells:

- Jet Black one piece chairs and Postura+ family Shells: 100% recycled polypropylene
- All other one piece chairs: 30% recycled polypropylene, 70% virgin polypropylene.
- All other Postura + family Shells: 100% virgin polypropylene
- All one piece stools are made from glass filled polypropylene, with a minimum 30% recycled polypropylene
- All Postura + chairs & shells are 100 recyclable

Frames & bases

- Powder coated steel frames: 100% recyclable
- Glides: 100% nylon, 100% recyclable
- Task base (nylon & chrome; gas columns, castors & glides):
- Nylon task base: 100% recycled Glass Filled Nylon.
- Nylon and Chrome task base: 100% recyclable (made of mixed materials, may need to be separated for recycling; gas lifts must be depressurised and drained of oil)
- Seat pads: 4mm foam fixed with adhesive onto plywood shell, fabric secured by C-Gex with bias banding.



ACCIE

KI (UK) Ltd Rights & Warranties

Polypropylene chairs & seats shells: 20-year warranty.

Metal frames, task bases & gas columns: 5-year warranty.

High wear parts such as fabrics, other covering material/finishes, foam, castors, glides and gas lifts: I-year warranty.

For detailed information, please visit our website: https://www.kieurope.com/ customer-service/legal-privacy/warranties

Certifications & Standards

- Indoor Advantage Gold™ Furniture:
 All Postura+ products have been independently assessed by SCS Global Services and certifies for low volatile organic compound (VOC) emissions.
 This certification aligns with ANSI/BIRMA m7.1, X7.1 and CA01350. It contributes to LEED low emitting materials credits and WELL Credit 04 for VOC reduction.
- BS EN 1/29: Sizing & dimensions

 Chairs and tables for educational institutions. Postura + one piece chairs are certified to this standard.
- BS EN 1729: Strength & stability Chair and tables for educational institutions. All Postura+ products are certified to this standard.

- BS EN 16139: Strength & stability
 severe contract use. All Postura+
 products are certified to this standard
- BS 5852 Ignition Source 0 & I Standard stocked Postura + One Piece Chairs in all sizes (1-6) are certified to this standard.
- BS 5852 Ignition Source 0, I & 5
 Special order Postura + One Piece
 Chairs with FR additive and MOQ
 requirements, in all sizes (I-6) are certified to this standard.

Suitable for projects aiming to achieve SKA BREEAM, WELL, LEED v4 and more.

User Weight Loading

Postura+ One Piece chairs & stools weight imits by size:

Size 1: 130kg Size 2 & 3: 160kg Size 4, 5 & 6: 200kg

Design Resources

For image libraries, certificates, CAD/Revit models and more resources, please visit kieurope.com/postura

Care & Maintenance Instructions

Maintaining the appearance and finish o your product is best achieved through proper care and cautious use.

Polypropylene shells:

For regular cleaning of Shells use a soft cloth with mild soap or detergent and lukewarm water. Avoid solvents, citrus/orange-based cleaners or heavy-duty kitchen cleaners. Stubborn spots like chewing gum can be removed using cigarette lighter fluid. Wipe dry immediately. To restore lustre to smooth surfaces and perform light cleaning, a general non-abrasive all-purpose cleaner is recommended. Its anti-static properties help repel dust and dirt. High quality wax can be used to restore lustre and provide protective coating.

Powder coated & chrome metal frames:

Remove chewing gum and stubborn spots with cigarette lighter fluid, wipe dry immediately. It is advisable to protect frames from water, rain, ice, snow and salt exposure.

or gloss finish: use a silicon based spray oolish for cleaning.

Thin surface scratches can be addressed by wiping with thinners (apply onto a soft cloth not directly on the surface) or spraying with clear lacquer.

Deep scratches should be sanded with emery paper, cleaned and repainted using appropriate spray gloss/matte paint.

Note: colour matching is crucial. Spray onto white photocopy paper and check the colour before applying.

Vinyl Fabric:

For cleaning, use normal dishwashing liquic with warm water and a soft cloth. Dry the fabric with a clean, soft cloth.

Polyester & Wool Fabric:

For wet stains use dry carpet pellets or powder. Apply them to the stain, allow then to dry and then brush off or vacuum.

For dry stains use standard upholstery cleaner foam. Lightly spray the foam over the stain, let it sit for 5 minutes and then brush it off.



Packaging & Shipping

Wooden pallets: reusable and recyclable

Shrink wrap: recyclable & made from 30% recycled plastic

Banding: recyclable

Product	Units per box	Units per pallet	Pallet weight*	Pallet dimensions* (mm, L x W x H)
One Piece Chair Size I	6	120	188.0kg	1000 x 1200 x 2170
One Piece Chair Size 2	6	120	202.0kg	1000 x 1200 x 2170
One Piece Chair Size 3	4	68	178.0kg	1000 x 1200 x 2280
One Piece Chair Size 4	4	68	180.0kg	1000 x 1200 x 2280
One Piece Chair Size 5	3	56	220.5kg	1000 × 1200 × 2190
One Piece Chair Size 6	3	56	232.5kg	1000 x 1200 x 2190
One Piece Stool Low Back 560mm		16	101kg	1000 x 1200 x 1060
One Piece Stool Low Back 610mm		16	104kg	1000 x 1200 x 1110
One Piece Stool Low Back 685mm		16	126kg	1000 x 1200 x 1190
One Piece Stool High Back 560mm		16	113kg	1000 x 1200 x 1340
One Piece Stool High Back 610mm		16	116kg	1000 x 1200 x 1390
One Piece Stool High Back 685mm		16	137kg	1000 x 1200 x 1465
High Back Stool		16	115.0kg	1000 × 1200 × 2000
Low Back Stool		20	131.0kg	1000 × 1200 × 2000
Low Back Task Chair		16	123kg	1000 x 1200 x 2000
Task Stool		8	62kg	1000 x 1200 x 1100
High Back Task Chair		16	123kg	1000 x 1200 x 2000
Reverse Cantilever		16	108kg	1000 x 1200 x 2000
4 Leg on Castors		16	137kg	1000 x 1200 x 2000

^{*} All Weights and dimensions are approximate.



Weights

Product	Product Weight	Weight with Seat Pad	Max User Weight
One Piece Size I	1.43kg	-	132kg
One Piece Size 2	1.53kg	-	T63kg
One Piece Size 3	2.34kg	3.34kg	T63kg
One Piece Size 4	2.42kg	3.42kg	204kg
One Piece Size 5	3.6kg	4.6kg	204kg
One Piece Size 6	3.73kg	4.73kg	204kg
One Piece Stool Low Back 560mm	4.4kg	N/A	204kg
One Piece Stool Low Back 610mm	4.6kg	N/A	204kg
One Piece Stool Low Back 685mm	4.8kg	N/A	204kg
One Piece Stool High Back 560mm	5.3kg	N/A	204kg
One Piece Stool High Back 610mm	5.6kg	N/A	204kg
One Piece Stool High Back 685mm	5.9kg	N/A	204kg
Reverse Cantilever	4.4kg	5.4kg	204kg
4 Leg on Castors	4.25kg	5.25kg	204kg
Low Back Stool 560mm	4.7kg	5.7kg	204kg
Low Back Stool 610mm	5.1kg	6.1kg	204kg
Low Back Stool 685mm	5.5kg	6.5kg	204kg
High Back Stool 560mm	5.1kg	6.1kg	204kg
High Back Stool 610mm	5.5kg	6.5kg	204kg
High Back Stool 685mm	5.9kg	6.9kg	204kg
High Back Task Chair with castors & nylon base	6.0kg	7.0kg	204kg
High Back Task Chair with glides & nylon base	6.0kg	7.0kg	204kg
High Back Task Chair with castors & chrome base	7.1kg	8.1kg	204kg
High Back Task Chair with glides & chrome base	7.1kg	8.1kg	204kg
High Task Chair with castors & nylon base	9.4kg	10.4kg	204kg
High Task Chair with glides & nylon base	9.4kg	10.4kg	204kg
High Task Chair with castors & chrome base	10.5kg	11.5kg	204kg
High Task Chair with glides & chrome base	10.5kg	11.5kg	204kg
Low Back Task Chair with castors & nylon base	5.5kg	6.5kg	204kg
Low Back Task Chair with glides & nylon base	5.5kg	6.5kg	204kg
Low Back Task Chair with castors & chrome base	6.6kg	7.6kg	204kg
Low Back Task Chair with glides & chrome base	6.6kg	7.6kg	204kg













KI (UK) Ltd
91 Goswell Road,
London,
United Kingdom,

kieurope.com 020 7404 744 l info@kieurope.com