
JANUARY 2025



STORAGE COLLECTION

800 SERIES

SPECIFICATION GUIDE



Page 20-21

Page 4 Page 22-23 **Sliding Door Cabinets** Introduction Page 5 Terminology Page 6-7 Drawer Cabinets - Contemporary Style Page 24 **Towers** Page 8-9 Drawer Cabinets - Classic Style Cabinet Plinths Page 25 Page 10-13 Cupboard Door Cabinets - Classic Style Cupboard Door Cabinets - Touch Latch Page 26-27 Pedestals & Pedestal Cushions Page 14-15 800 Series Accessories Page 28-29 Cabinet Tops & Planters Page 16-19 Lockers SmartLocker Lock & Security Options Page 30-31 **Environmental Data Sheet** Glass Safety Instructions

2

800 Series Recycling Cabinets

Introduction





Dimensions

Standard shell height 452mm - 2150mm
Standard shell depth 457mm

Depth of 600mm is available as a tailored build



Indoor Advantage Gold - Furniture

This product is certified to Indoor Advantage Gold - Furniture, making it suitable for many building rating systems, including LEED v4, BREEAM, & WELL Building.

KI (UK) Ltd is the UK's leading specialist storage and filing company. Our experienced team provide tailored solutions drawing from our unrivalled portfolio of products. KI Inc is one of the world's largest private (employee owned) companies, producing contract furniture solutions for Business, Education, Healthcare, and Public Sector/Government Markets.

KI owns over 2.5 million sq.ft. of factory space worldwide, all of which is ISO 900 I certified. The KI 800 Series lateral filing and storage system is manufactured in the UK at a specialist 60,000 sq. ft. storage plant, incorporating state of the art manufacturing processes.

The 800 Series cabinets shown in this prefigured guide are available in 4 standard metric widths and 13 heights. **There are many further height and width options** - please contact your KI Sales Manager for details.

The System is designed on a 38mm height increment. This allows each cabinet to be tailored to meet the design brief and specific media storage requirements, without constraint from the product.

Please refer to www.kieurope.com for product finishes.

KI has implemented a Quality Management System for all its plants and related corporate functions. KI offers free delivery of orders over the value of £5000 during normal working hours by prior arrangement. For any enquires about tailored builds, please contact your KI Sales Manager.

Warranty
All 800 Series products carry
a 25 year Warranty
(excludes keys and locks)

KI Sales Manager

Tel: 020 7404 744 I Email: sales@kieurope.com

Counterbalance Weight.

A weight fixed into the inside back of the cabinet to minimise the possibility of the cabinet tipping over when a fully loaded drawer is opened.

Slides.

Sometimes called "runners"; the multi ball bearing support mechanism on which a drawer operates.

Lock Barrel.

The removable centre portion of the lock. With a special extractor key, lock barrels can be removed and replaced easily. All cabinets are fitted with a removable lock as standard at no extra charge.

"Double Bit" Lock.

A lock barrel with metal wafers or "bits" on opposing sides of the channel in which the key fits. The corresponding key has teeth on both sides of its blade. The double bit system provides greater security and a wider variety of keying options when compared to single bit locks.

Ganging.

Describes the bolting together of cabinets when installed side by side.

Levelling Feet.

Adjustable large footed bolts that screw into the four bottom corners to adjust the level and height of a cabinet.



Receding Door.

Also called a "flipper door"; the door opens by lifting it at the bottom and sliding it into the cabinet. All KI receding doors have soft close mechanisms and <u>fully recede</u> into the cabinet.



Tie Bar.

Used to complete the available filing height when no insert is required or where no insert is available to complete the remaining height.

Suspended Filing.

Describes filing pockets which hang on bars in pull-out drawers or file frames where access to the contents of the file is from the top.



Front-to-Back Filing.

Describes file pockets or filing boxes which run from the front to the back of the filing drawer. Files are parallel to the front of the drawer.



Side-to-Side Filing.

Describes file pockets or filing boxes which run from the left side to the right side of the filing drawer. Files are parallel to the sides of the cabinet.




Front Access Suspended Filing.

Also known as lateral front access filing. Describes filing pockets which hang on fixed bars or under fixed shelves where access to the contents of the file is from the front only.



End Tab Filing.

Shelf based storage folders, open on one side with colour coded tabs for identification. Documents are removed from the folder and replaced when required.



File Rails.

The heavy gauge steel rails that fit into a drawer to suspend side-to-side hanging folders.



File Ban

Steel bars that fit across the file rails to suspend front-to-back hanging folders.



Pull-out File Frame.

A frame for suspended filing that is fitted onto slides. The whole frame with the files can be pulled out like a drawer. For use behind cupboard and receding doors.

Interlock/Anti Tilt Mechanism.

A safety mechanism installed in drawer cabinets. Prevents opening more than one drawer at a time. Minimises the possibility of the cabinet tipping.

SATRA & FIRA.

The leading testing, research and technology organisations for the office furniture industry

The entire range of 800 Series cabinets has been tested and passed the following performance tests;

BS4875-7:2006 BS4875-8:1998 BS EN ISO 14001:2004 BS EN ISO 14073-2:2004 BS EN ISO 14073-3:2004 BS EN ISO 14074:2004

Copies of FIRA and SATRA certificates available upon request.

Fully bled, angled handle detail. All closures specified from top to bottom of cabinet. Shell fitted with double bit core removable lock, supplied with 1 folding and 1 fixed key. For spare keys and alternative locking options refer to pages 18-19. Please specify all internals separately, see pages 14-15. 305mm drawers are ready to accept side-to-side suspension files. All cabinets 457mm deep. Stand-alone/non-ganged 2 & 3 drawer cabinets require counterweight, refer to page 15.

Description	Product Code	Width		
686mm High				
2x 305mm drawers with file rails for side-to-side A4/Foolscap suspended filing.	84ML/802402D	800mm		
	84ML/902402D	900mm		
	84ML/1002402D	1000mm		
	84ML/1102402D	1100mm		
715mm High				
2x 305mm drawers with file rails for side-to-side A4/	84ML/802552D	800mm		
Foolscap suspended filing. 33mm blank top infill panel.	84ML/902552D	900mm		
ээнни банк юр ний ранет.	84ML/1002552D	1000mm		
	84ML/1102552D	1100mm		
997mm High				
3x 305mm drawers with file rails for side-to-side A4/	84ML/803603D	800mm		
Foolscap suspended filing.	84ML/903603D	900mm		
	84ML/1003603D	1000mm		
	84ML/1103603D	1100mm		
1075mm High				
2x 305mm drawers, 1x 381mm bottom drawer. All	84ML/803903D	800mm		
drawers with file rails for side- to-side A4/Foolscap suspended	84ML/903903D	900mm		
filing.	84ML/1003903D	1000mm		
	84ML/1103903D	1100mm		
1075mm High				
Ix 381mm receding door with slotted shelf.	84ML/803901F2D	800mm		
2x 305mm drawers with file rails for side-to-side A4/	84ML/903901F2D	900mm		
Foolscap suspended filing.	84ML/1003901F2D	1000mm		
	84ML/1103901F2D	1100mm		

Fully bled, angled handle detail. All closures specified from top to bottom of cabinet. Shell fitted with double bit core removable lock, supplied with 1 folding and 1 fixed key. For spare keys and alternative locking options refer to pages 18-19. Please specify all internals separately, see pages 14-15. 305mm drawers are ready to accept side-to-side suspension files. All cabinets 457mm deep. Stand-alone/non-ganged 2 & 3 drawer cabinets require counterweight, refer to page 15.

Description	Product Code	Width
1114mm High		
3x 343mm drawers with file rails for side-to-side A4/	84ML/804053D	800mm
Foolscap suspended filing.	84ML/904053D	900mm
	84ML/1004053D	1000mm
	84ML/1104053D	1100mm
1114mm High		
Ix 381mm receding door Ix 38mm tie bar shelf	84ML/804051F2D	800mm
2x 305mm drawers with	84ML/904051F2D	900mm
file rails for side-to-side A4/ Foolscap suspended filing.	84ML/1004051F2D	1000mm
	84ML/1104051F2D	1100mm
1153mm Height		
4x 267mm drawers.	84ML/804204D	800mm
267mm drawer will not	84ML/904204D	900mm
accommodate binders stored in portrait orientation.	84ML/1004204D	1000mm
	84ML/1104204D	1100mm
1308mm Height		
4x 305mm drawers with file rails for side-to-side A4/	84ML/804804D	800mm
Foolscap suspended filing.	84ML/904804D	900mm
	84ML/1004804D	1000mm
	84ML/1104804D	1100mm
1813mm Height		
762mm high single skin cupboard doors with 38mm tie bar. 3x 305mm drawers with file rails for side-to-side A4/Foolscap suspended filing. Cupboard door internals to be specified separately, see pages 16-17.	84ML/80675ME3003D	800mm
	84ML/90675ME3003D	900mm
	84ML/100675ME3003D	1000mm

A4 & Foolscap binders	

Rectangular inset handle detail. All closures specified from top to bottom of cabinet. Shell fitted with double bit core removable lock, supplied with 1 folding and 1 fixed key. For spare keys and alternative locking options refer to pages 18-19. Please specify all internals separately, see pages 14-15. 305mm drawers are ready to accept side-to-side suspension files. All cabinets 457mm deep. Stand-alone/non-ganged 2 & 3 drawer cabinets require counterweight, refer to page 15.

Description	Product Code	Width		
686mm High				
2x 305mm drawers with file rails for side-to-side A4/Fools-	8ML/802402D	800mm		
cap suspended filing.	8ML/902402D	900mm		
	8ML/1002402D	1000mm		
	8ML/1102402D	1100mm		
715mm High				
2x 305mm drawers with file rails for side-to-side A4/	8ML/802552D	800mm		
Foolscap suspended filing. 33mm blank top infill panel.	8ML/902552D	900mm		
3311111 blank top IIIIII panel.	8ML/1002552D	1000mm		
	8ML/1102552D	1100mm		
997mm High				
3x 305mm drawers with file rails for side-to-side A4/	8ML/803603D	800mm		
Foolscap suspended filing.	8ML/903603D	900mm		
	8ML/1003603D	1000mm		
	8ML/1103603D	1100mm		
1075mm High				
2x 305mm drawers, 1x 381mm bottom drawer. All	8ML/803903D	800mm		
drawers with file rails for side-	8ML/903903D	900mm		
to-side A4/Foolscap suspended filing.	8ML/1003903D	1000mm		
	8ML/1103903D	1100mm		
1075mm High				
1x 381mm receding door with slotted shelf.	8ML/803901F2D	800mm		
2x 305mm drawers with	8ML/903901F2D	900mm		
file rails for side-to-side A4/ Foolscap suspended filing.	8ML/1003901F2D	1000mm		
	8ML/1103901F2D	1100mm		

Rectangular inset handle detail. All closures specified from top to bottom of cabinet. Shell fitted with double bit core removable lock, supplied with 1 folding and 1 fixed key. For spare keys and alternative locking options refer to pages 18-19. Please specify all internals separately, see pages 14-15. 305mm drawers are ready to accept side-to-side suspension files. All cabinets 457mm deep. Stand-alone/non-ganged 2 & 3 drawer cabinets require counterweight, refer to page 15.

Description	Product Code	Width
1114mm High		
3x 343mm drawers with file rails for side-to-side A4/	8ML/804053D	800mm
Foolscap suspended filing.	8ML/904053D	900mm
	8ML/1004053D	1000mm
	8ML/1104053D	1100mm
1114mm High		
Ix 381mm receding door Ix 38mm tie bar shelf	8ML/804051F2D	800mm
2x 305mm drawers with file rails for side-to-side A4/	8ML/904051F2D	900mm
Foolscap suspended filing.	8ML/1004051F2D	1000mm
	8ML/1104051F2D	1100mm
1153mm High		
4x 267mm drawers.	8ML/804204D	800mm
267mm drawer will not accommodate binders stored	8ML/904204D	900mm
in portrait orientation.	8ML/1004204D	1000mm
	8ML/1104204D	1100mm
1308mm Height		
4x 305mm drawers with file rails for side-to-side A4/	8ML/804804D	800mm
Foolscap suspended filing.	8ML/904804D	900mm
	8ML/1004804D	1000mm
	8ML/1104804D	1100mm
1813mm Height		
762mm high single skin cupboard doors with 38mm tie bar. 3x 305mm drawers with file rails for side-to-side A4/Foolscap suspended filing. Cupboard door internals to be specified separately, see pages 16-17.	8ML/80675ME3003D	800mm
	8ML/90675ME3003D	900mm
	8ML/100675ME3003D	1000mm

_		









A4 & Foolscap binders

Cupboards

Shell fitted with double bit core removable lock, supplied with 1 folding and 1 fixed key. Espangolette locks fitted as standard on cupboards above and including 1813mm high. This lock is available as an option on lower units. For information please contact your KI Sales Manager. For spare keys and alternative locking options refer to pages 18-19. Soft close hinges. Please specify all internals separately, see pages 14-15. All cabinets 457mm deep. Alternative hinges offering 105° and 180° door opening are available, please contact your KI Sales Manager. Stand-alone/non-ganged cupboards using pull-out file frames up to 1114mm high require counterweight, refer to page 15.

Product Code	Width
	686mm High (I row A4)
8ML/80240HX	800mm
8ML/90240HX	900mm
8ML/100240HX	1000mm
8ML/110240HX	1100mm
	715mm High (1 row A4)
8ML/80255HX	800mm
8ML/90255HX	900mm
8ML/100255HX	1000mm
8ML/110255HX	1100mm
	997mm High (2 row A4)
8ML/80360HX	800mm
8ML/90360HX	900mm
8ML/100360HX	1000mm
8ML/110360HX	1100mm
	1075mm High (3 row A4)
8ML/80390HX	800mm
8ML/90390HX	900mm
8ML/100390HX	1000mm
8ML/110390HX	1100mm
	III4mm High (3 row A4)
8ML/80405HX	800mm
8ML/90405HX	900mm
8ML/100405HX	1000mm
8ML/110405HX	I I 00mm
	I I 53mm High (3 row A4)
8ML/80420HX	800mm
8ML/90420HX	900mm
8ML/100420HX	1000mm
8ML/110420HX	1100mm

Shell fitted with double bit core removable lock, supplied with 1 folding and 1 fixed key. Espangolette locks fitted as standard on cupboards above and including 1813mm high. This lock is available as an option on lower units. For information please contact your KI Sales Manager. For spare keys and alternative locking options refer to pages 18-19. Soft close hinges. Please specify all internals separately, see pages 14-15. All cabinets 457mm deep. Alternative hinges offering 105° and 180° door opening are available, please contact your KI Sales Manager. Stand-alone/non-ganged cupboards using pull-out file frames up to 1114mm high require counterweight, refer to page 15.

Product Code	Width	
	1308mm High (3 row A4)	
8ML/80480HX	800mm	
8ML/90480HX	900mm	
8ML/100480HX	1000mm	
8ML/110480HX	1100mm	
	1464mm High (4 row A4)	
8ML/80540HX	800mm	
8ML/90540HX	900mm	
8ML/100540HX	1000mm	
	1813mm High (5 row A4)	
8ML/80675HX	800mm	
8ML/90675HX	900mm	
8ML/100675HX	1000mm	
	1969mm High (5 row A4)	
8ML/80735HX	800mm	
8ML/90735HX	900mm	
8ML/100735HX	1000mm	
	2150mm High (5 row A4)	
8ML/80805HX	800mm	
8ML/90805HX	900mm	
8ML/100805HX	1000mm	

Flush front cupboard doors with touch-latch mechanism. Shell fitted with double bit core removable lock, supplied with I folding and I fixed key. Espangolette locks fitted as standard on cupboards above and including 1813mm high. This lock is available as an option on lower units. For information please contact your KI Sales Manager. For spare keys and alternative locking options refer to pages 18-19. Soft close hinges. Please specify all internals separately, see pages 14-15. All cabinets 457mm deep. Alternative hinges offering 105° and 180° door opening are available, please contact your KI Sales Manager. Stand-alone/non-ganged cupboards using pull-out file frames up to 1114mm high require counterweight, refer to page 15.


Product Code	Width	
	686mm High (I row A4)	
9ML/80240HX	800mm	
9ML/90240HX	900mm	
9ML/100240HX	1000mm	
9ML/110240HX	II00mm	
	715mm High (1 row A4)	
9ML/80255HX	800mm	
9ML/90255HX	900mm	
9ML/100255HX	1000mm	
9ML/110255HX	1100mm	
	997mm High (2 row A4)	
9ML/80360HX	800mm	
9ML/90360HX	900mm	
9ML/100360HX	1000mm	
9ML/110360HX	1100mm	
	1075mm High (3 row A4)	
9ML/80390HX	800mm	
9ML/90390HX	900mm	
9ML/100390HX	1000mm	
9ML/110390HX	1100mm	
	I I I 4mm High (3 row A4)	
9ML/80405HX	800mm	
9ML/90405HX	900mm	
9ML/100405HX	1000mm	
9ML/110405HX	1100mm	

Flush front cupboard doors with touch-latch mechanism. Shell fitted with double bit core removable lock, supplied with I folding and I fixed key. Espangolette locks fitted as standard on cupboards above and including 1813mm high. This lock is available as an option on lower units. For information please contact your KI Sales Manager. For spare keys and alternative locking options refer to pages 18-19. Soft close hinges. Please specify all internals separately, see pages 14-15. All cabinets 457mm deep. Alternative hinges offering 105° and 180° door opening are available, please contact your KI Sales Manager. Stand-alone/non-ganged cupboards using pull-out file frames up to 1114mm high require counterweight, refer to page 15.

Product Code	Width
	I I 53mm High (3 row A4)
9ML/80420HX	800mm
9ML/90420HX	900mm
9ML/100420HX	1000mm
9ML/110420HX	1100mm



All internal accessories are Dark Tone finish only




All internal accessories are Dark Tone finish only.		
Description	Product Code	Width
Infill Panel.	8ML/240IP	686mm
153mm wide panel to close gaps behind cabinets with cable management voids. Description Slotted Shelf Dividers. Pack of 5 dividers.	8ML/360IP	997mm
	8ML/405IP	III4mm
	8ML/480IP	1308mm
	Product Code	
	8ML/33412DV	
Shallow Drawer Dividers.	8ML/3346DV	

	Price per pack of 3.	
	Magnetic Divider. For use with blank shelves and drawer bases.	PF-MAGDIV
	Low Non-magnetic Divider. For use with blank shelves and drawers	8ML/I 52DIV

Description	Product Code
Counterbalance Weight For lateral file cabinets. Recommended for 2-3 high stand-alone cabinets.	8ML/CBW50

Note: Only recommended in 2 door cupboards when pull out file frames are fitted

,	,		
For cupboards 800mm wide	8ML/BSW08		
For cupboards 900mm wide	8ML/BSW09		
For cupboards 1000mm wide	8ML/BSW10		
For cupboards 1100mm wide	8ML/BSW11		
Individually Locking Drawers For use with all 305mm drawer styles. Includes raised security back with file rails for side-to- side suspended filing. Can be retrofitted on site.	8ML/TLDA		
Lock and Key Set Removable double bit core lock with folding and one fixed	KPB5656		




















15



Description Product Code

File Bar. 8ML/EUROK

To accommodate front-to-back suspension files.

14

key.

Each locker compartment supplied with 2 folding keys and label holder. For alternative locking options refer to pages 18-19. All cabinets 457mm deep.

Description	Product Code	Width
997mm High		
6 Locker Doors (3 wide by 2 high)	8ML/803603X2L	800mm
	8ML/1003603X2L	1000mm
1075mm High		
6 Locker Doors (2 wide by 3 high)	8ML/803902×3L	800mm
	8ML/1003902X3L	1000mm
1075mm High		
4 Locker Doors, 2 Split Locker Drawers	84ML/803902D4L	800mm
(2 wide by 3 high)	84ML/1003902D4L	1000mm
1114mm High		
6 Locker Doors (2 wide by 3 high)	8ML/804052X3L	800mm
	8ML/1004052X3L	1000mm
1114mm High		
4 Locker Doors, 2 Split Locker Drawers	84ML/804052D4L	800mm
(2 wide by 3 high)	84ML/1004052D4L	1000mm
1464mm High		
8 Locker Doors (2 wide by 4 high)	8ML/805402X4L	800mm
	8ML/1005402X4L	1000mm
1464mm High		
9 Locker Doors (3 wide by 3 high)	8ML/805403X3L	800mm
	8ML/1005403X3L	1000mm
1813mm High		
10 Locker Doors (2 wide by 5 high)	8ML/806752X5L	800mm
	8ML/1006752X5L	1000mm

Each locker compartment supplied with 2 folding keys and label holder. For alternative locking options refer to pages 18-19. All cabinets 457mm deep.

Description	Product Code	Width
1114mm High		
2 Locker Locker Doors Tie Bar Shelf 2x 305mm Drawers	84ML/804052D2L	800mm
2x 303mm Drawers	84ML/1004052D2L	1000mm
1114mm High		
2 Locker Locker Doors Tie Bar Shelf	84ML/80405HX2L	800mm
2 Door Cupboard	84ML/100405HX2L	1000mm
Description	Product Code	Width
Locker Shelf Kit. Single plain steel shelf and brackets to fit inside locker	8ML/80LSK	800mm
compartment. Dark Tone finish	8ML/100LSK	1000mm
Locker Door Post Slot (Price per door)	8ML/PS	All sizes






KI Smartlocker

KI SmartLocker is a personal storage module, which is securely fixed inside a standard 305mm high drawer. This provides the perfect answer to personal storage within open plan drawer based environments. Up to three modules may be located in a 1000mm wide single drawer. Silver finish only.

Description	Product Code	
KI SmartLocker without post slot.	8ML/SSML	







 \sim 17

Replacement Keys and Barrels

KI has appointed Webshield as a mobile locksmith and replacement key and lock core service. Webshield hold a stock of key blanks and will cut and supply replacement keys for the most commonly used P numbers within 24 hours. Replacement lock cores and pairs of keys are also available. Keys will only be supplied on receipt of an official order, which must also show the End User and contact name. Master and extractor keys are available for named End User orders. Please call the KI Sales Department.

Additional folding keys are available at extra cost for each cabinet. Please specify at the time of order with the code number F KEY 1.

Webshield Contact: Michael Malone
Mobile Locksmith Tel: 020 8364 3220
21 Mount Pleasant Crescent Mobile: 07836 642022
London N4 4HP Fax: 020 8364 2220

Description	Product Code	
Lock and Key Set		
Removable double bit core lock with folding and one fixed key.	KPB5656	

The prices below refer to locks fitted to hinged doors. Sudhaus locks can be fitted to drawer and cupboard units. Contact KI Sales Manager for more details.

8ML/CL4

4 Digit Sudhaus Lock

4 digit combination lock with 'auto zeroing' and master override key.

Also for use with lateral drawer and cupboard door units.

1	2	6	3	1)	L	
Ų	S	9	P			





Description	Product Code
L&F Digital Combination Lock Keypad access via 4 digit code - Pre-set master code - emergency	8ML/ELS (Silver)
key override - Private or public modes - Available in silver or black, other colours available subject to minimum order quantity.	8ML/ELB (Black)
	8ML/ELW (White)
Flushfit L&F Digital Combination Lock Flushfit lock with keypad access via 4 digit code - Pre-set master	8ML/FFELS (Silver)
code - emergency key override - Private or public modes - Available in silver or black, other colours available subject to minimum order quantity.	8ML/FFELB (Black)
This is the second quantity.	8ML/FFELW (White)

Description	Product Code	
LS300 including battery pack	8ML/SAGRFID/LS300	

- programmable battery operated RFID lock
- battery condition indicator & audiable actuation
- available with optional software
- round or rectangular knob option
- 4x mounting directions
- available in black or white



LSW300 including battery pack

- programmable battery operated RFID lock
- battery condition indicator & audiable actuation
- available with optional software
- 4x mounting directions
- available in black or white

8ML/SAGRFID/LSW300



Recycling cabinets

Recycling cabinets

For recycling and secure disposal of waste paper and confidential documents, containers, packaging and organic waste matter. Available with post slots or receding doors set into fixed fascia at the top of the cabinet. For alternative locking options refer to pages 18-19. Soft close hinges. Options for the application graphics and display signage available, please contact your KI Sales Manager for more details.

Description	Product Code	Width
997mm High		
I post slot I receding flap	8ML/80360RFPS	800mm
	8ML/100360RFPS	1000mm
997mm High		
2 receding flaps	8ML/80360RF2	800mm
	8ML/100360RF2	1000mm
1075mm High		
2 receding flaps	8ML/80390RF2	800mm
	8ML/100390RF2	1000mm
1114mm High		
I post slot I receding flap	8ML/80405RFPS/LH	800mm
	8ML/100405RFPS/LH	1000mm
1114mm High		
I post slot I receding flap	8ML/80405RFPS/RH	800mm
	8ML/100405RFPS/RH	1000mm
1114mm High		
2 receding flaps	8ML/80405RF2	800mm
	8ML/100405RF2	1000mm
1308mm High		
2 receding flaps	8ML/80480RF2	800mm
	8ML/100480RF2	1000mm

For recycling and secure disposal of waste paper and confidential documents, containers, packaging and organic waste matter. Available with post slots set into the top of the cabinet doors. For alternative locking options refer to pages 18-19. Soft close hinges. Options for the application graphics and display signage available, please contact your KI Sales Manager for more details.

Description	Product Code	Width
1075mm High		
Recycle unit with 2 individually locking doors and secure post slots.	84ML/80390REC	800mm
Centre partition & 2x adjustable shelves.	84ML/100390REC	1000mm
1075mm High		
Recycle unit with 2 individually locking doors and 1 secure post slot.	84ML/80390HXREC	800mm
Centre partition & 3x adjustable shelves.	84ML/100390HXREC	1000mm
1114mm High		
Recycle unit with 2 individually locking doors and secure post slots.	84ML/80405REC	800mm
Centre partition & 2x adjustable shelves.	84ML/100405REC	1000mm
1114mm High		
Recycle unit with 2 individually locking doors and 1 secure post slot.	84ML/80405HXREC	800mm
Centre partition & 3x adjustable shelves.	84ML/100405HXREC	1000mm
	Internal Recycling Bins	
Description	Product Code	Colour
Aluminium recycling bin. For 1000mm wide cabinets only. 720mm (h), 375mm (w),	CZ 10001	White
375mm (d)	CZ 10024	Black
	CZ 10029	Silver
39 Litre bin. 500mm (h), 387mm (w), 279mm (d)	8ML/PBIN/01	
Blue, Black or Grey.		













Sliding soft close doors with damper. One price flush front carcass frame. Dual locking. Includes UKF filing rail at top. For acoustic and perforated door options contact KI Sales Manager

Requires Steel or MFC top, see below.

Product Code	Width				
	715mm High				
84ML/120255SLD	1200mm				
84ML/160255SLD	1600mm				
84ML/240255SLD	2400mm				
I I I 4mm High					
84ML/I 20405SLD	1200mm				
84ML/160405SLD	1600mm				
84ML/240405SLD	2400mm				
Description	Product Code	Width			
2mm Steel Trim Top Or use MFC top (see below)	84ML/120SLDT	1200mm			





84ML/160255SLD	1600mm	
84ML/240255SLD	2400mm	
	1114mm High	
84ML/120405SLD	1200mm	
84ML/160405SLD	1600mm	
84ML/240405SLD	2400mm	
Description	Product Code	Width
2mm Steel Trim Top Or use MFC top (see below)	84ML/I20SLDT	1200mm
2mm Steel Trim Top		1200mm 1600mm
2mm Steel Trim Top	84ML/I20SLDT	
2mm Steel Trim Top	84ML/120SLDT 84ML/160SLDT	I 600mm
2mm Steel Trim Top Or use MFC top (see below) 25mm MFC top	84ML/120SLDT 84ML/160SLDT 84ML/240SLDT	1600mm 2400mm

Sliding door Cabinets have a central partition, dividing the interior of the cabinet vertically into two parts.

Each item of internal accessories occupies one half of each side of the cabinet.

Description	Product Code	Cabinet Width
I Omm Plain Shelf Use with magnetic dividers (see below).	84ML/I20BS	1200mm
	84ML/160BS	1600mm
	84ML/240BS	2400mm
25mm Combination Shelf To accommodate lateral	84ML/I20COMBI	1200mm
suspension files 330mm deep underneath. Use with magnetic dividers (see below).	84ML/160COMBI	1600mm
	84ML/240COMBI	2400mm
Pull-out Filing Frame With two file bars.	84ML/120POFF	1200mm
	84ML/160POFF	1600mm
	84ML/240POFF	2400mm
Description	Product Code	
Magnetic Divider For use with blank shelves and	PF-MAGDIV	









22 23

drawer bases.

One price flush front carcass frame with pull out shelving on casters. Left handed refers to the cabinet positioned on the the left hand side of the user, and vice versa for right handed. Shell fitted with double bit core removable lock, supplied with I folding and I fixed key.

Has steel top by default but can be replaced with optional MFC top, see below.

Description	Product Code	Handed
Under Desk		
Under Desk Tower Pull-out storage section with pen tray. Ix combination shelf 600mm (h), 415mm (w),	84ML/80240UDT/LH	Left hand
800mm (d)	84ML/80240UDT/RH	Right hand

600mm (h), 415mm (w),		
800mm (d)	84ML/80240UDT/RH	Right hand
Desk High (with MFC top and	spacer)	
Desk High Tower Pull-out storage section with pen tray. Ix combination shelf.	84ML/80255DHT/LH	Left hand

1x combination shelf. 705mm (h), 415mm (w),		
800mm (d) 740mm desk height when specified with top and spacer, see below.	84ML/80255DHT/RH	Right hand
1114mm High		
High Tower 2 adjustable shelves for 3 rows	84ML/80405HT/LH	Left hand

High Tower	84ML/80405HT/LH	Left hand
2 adjustable shelves for 3 rows		
of A4 filing.		
1114mm (h), 457mm (w),		
800mm (d)		
Option to have MFC top (see	84ML/80405HT/RH	Right hand
below).		
•		

1114mm High		
Description	Product Code	Dimensions
MFC top for 1114mm High Tower	KIMFC/25/457-800	800x457mm
MFC top for Desk High Tower	84ML/DHTT	800x415mm
Spacer for Desk High Tower	84ML/DHTS	700x315mm

Product Code	Width
8SH/PLINTH/800	800mm

900mm

1000mm

1100mm

8SH/PLINTH/900

8SH/PLINTH/1000

8SH/PLINTH/I 100

U	










One-piece steel body, flush front drawers with recessed side pull and levelling glides. Includes pen tray and file bars. All pedestals have an 8mm metal top except where stated. Fitted Lowe & Fletcher locks as standard with two folding keys.

Description	Product Code	Dimensions
Mobile, A4 width, low height.	94000-U8	415mm (w)
Compatible with Sit -Stand Workstations Ix box drawer, Ix filing drawer, Plastic pen tray		481mm (h)
		555mm (d)
Mobile, A4 width, mid height. Ix pull-out pen drawer with drop-in pen tray	94020-U8	415mm (w)
Ix box drawer		554mm (h)
1x filing drawer		555mm (d)
Mobile, A4 width, mid height. 2x box drawers (top drawer 116mm)	91212-U8	415mm (w)
Ix filing drawer		554mm (h)
Plastic pen tray		765mm (d)
Mobile, A4 wdith, mid height. 2x box drawers (top drawer 6mm)	94031-U8	415mm (w)
1x filing drawer		598mm (h)
Plastic pen tray		555mm (d)
Mobile, A4 width, standard height. 2x box drawers	94011-U8	415mm (w)
Ix filing drawer		63 lmm (h)
Plastic pen tray		555mm (d)
Mobile, narrow width, low height. Compatible with Sit -Stand Workstations	94060-U8	315mm (w)
1x box drawer, 1x filing drawer, Plastic pen tray		481mm (h)
		555mm (d)
Mobile, narrow width, standard height. 2x box drawers.	94071-U8	315mm (w)
Ix filing drawer		63 lmm (h)
Plastic pen tray		555mm (d)
Desk High Pedestal A4 width Supplied without steel top - ready for MFC top	94041	415mm (w)
Fixed Fascia Panel		715mm (h)
2x Box drawers, 1x Filing drawer		555mm (d)
Desk High Pedestal A4 width Supplied without steel top - ready for MFC top	94056	415mm (w)
Fixed Fascia Panel		715mm (h)
2x Box drawers, 1x Filing drawer		765mm (d)
Mobile A4 width, side access, mid height. 1x box drawer	91232-U8LH (Left hand)	415mm (w)
1x Side Access filing drawer for A4 and	91232-U8RH	598mm (h)
Foolscap portrait binders and suspended files.	(Right hand)	555mm (d)

40mm thick fabric wrapped foam cushion on 12mm MDF backing Board. Available in 315mm and 415mm widths at 555mm deep with magnetic or screw fixings. Camira Blazer or Camira Xtreme fabric options.

Width	Product Code
415mm	84ML/MPC/555.415B
415mm	84ML/FPC/555.415B
315mm	84ML/MPC/555.315B
315mm	84ML/FPC/555.315B
415mm	84ML/MPC/555.415X
415mm	84ML/FPC/555.415X
315mm	84ML/MPC/555.315X
315mm	84ML/FPC/555.315X
	415mm 415mm 315mm 315mm 415mm 415mm 315mm



Pedestals accessories


Description	Product Code
Metal divider for A4 box drawer. Minimum order 10.	81200
Metal divider for A4 filing drawer. Minimum order 10.	81201
Metal divider for narrow filing drawer. Minimum order 10.	3558
A5 drop-in pen tray. Black polypropylene. Minimum order 5.	16184


Steel top boxes illustrated with optional colour accents on the infill panels. All steel tops 457mm deep. Contact KI Sales Manager for details.






Steel Planters				
Product Code	Cabinet Width			
84ML/80PLANTER/20	800mm			
84ML/90PLANTER/20	900mm			
84ML/100PLANTER/20	1000mm			
84ML/110PLANTER/20	1100mm			
18mm MFC Planters				
Product Code	Cabinet Width			
8ML/MFCPLAN/800/150/457	800mm			
8ML/MFCPLAN/900/150/457	900mm			
8ML/MFCPLAN/1000/150/457	1000mm			
8ML/MFCPLAN/1100/150/457	1100mm			
Liner made from 100& recycled ABS. Black finish. MINIMUM 10 ORDER QTY.				
84ML/80LINER	800mm			
84ML/90LINER	900mm			
84ML/100LINER	1000mm			
84ML/I I OLINER	1100mm			







Glass cabinet tops

MFC cabinet tops

457mm deep, 25mm MFC tops with matching surfaces and edges. Other sizes, thicknesses and finish options for are available, please contact KI Sales Manager.



Description	Product Code	Cabinet Width	LIST Price (£)
Cabinet Tops. For single cabinets. Matching surface and edges. Other sizes and finishes available upon request. See page 29 for finish options.	KIMFC/25/457-800	800mm	IUU
	KIMFC/25/457-900	900mm	IUU
	KIMFC/25/457-1000	1000mm	IUU
	KIMFC/25/457-1100	1100mm	IUU
For two cabinets	KIMFC/25/457-1602	1600mm	140
	KIMFC/25/457-1802	1800mm	19/
	KIMFC/25/457-2002	2000mm	204
	KIMFC/25/457-2202	2200mm	204
MFC Top Box Infills For the interior of Open Top Boxes	KIMFC/25/0755	800mm	43
	KIMFC/25/0955	1000mm	67

Toughened, low iron 10mm glass top. 6mm also available. BS 6206 & BS EN 12150. Clear 5mm neoprene locating pads supplied. Other sizes, thicknesses and finish options are available, please contact KI Sales Manager. Refer to page 37 for detailed safety instructions. Glass tops are subject to a minimum order value of £500.

Description

Low Iron, Non-coloured Glass Top.

Low Iron, Colour Coat Glass

Low Iron, Etched Glass Top.







KI 800 Series Files & Storage

Filing and storage cabinets are constructed from 0.7mm to 1.5mm cold rolled steel, which on average is 67% recycled steel content. Steel is treated to ensure the bonding of the 2 stage paint process, which provides a stain and scratch resistance surface.

Recycled Content

Numbers effective on 01/01/2009

Material	Recycled Content %	% Post Consumer	% Post Industrial	Can Be Recycled Y/N
Cardboard Packaging	100%	85%	15%	Y
Pallets	100%	90%	10%	Υ
Steel	67%	65%	2%	Y

Finishes

Powdercoating process lines use water-based cleaning systems prior to powder painting to clean parts as opposed to solvent-based cleaning systems. Powder coatings are baked onto the metal components using natural gas fired ovens. Powder coatings contain negligible VOC and Hazardous Air Pollutant (HAP) contents. Add-on pollution control equipment is not necessary given the very low levels of pollutants.

ISO14001/EMAS management processes.

KI is continually exploring viable product designs and solutions that will aid in the achievement of those principles upheld by the Leadership in Energy and Environmental Design (LEEDTM), a priority programme of the USGBC (U.S. Green Building Council).

In 2003, KI became a corporate member of the USGBC and a corporate sponsor of the launch of LEED's CI Rating System in 2005. Representing the furniture manufacturing industry, KI works in cooperation with environmental professionals and their projects to examine how the company's product offerings embrace such critical areas as Energy Efficiency, Human and Environmental Health, Durability, Performance & Maintenance, Embodied Energy and Pollution, Resource Limitation and Waste Management.

Please refer to KI's environmental brochures for further details.











when damaged the panel will shatter into small pieces known as fragments.

Handling of Toughened Glass

- Carry one panel at a time
 Never place the glass down onto rough surfaces.
 Wear suitable hand protection

Storage of Toughened Glass

- You should always avoid glass to glass or glass to metal contact. A suitable protection
- Glass should be stored upright on the edge, never flat on top of each other
 Protection should be sought from any inclement weather
 Glass should be covered whilst on site to avoid damage from other works.

THE MOST VULNERABLE PART OF ANY TOUGHENED GLASS IS THE EDGE. IF THE PANEL IS KNOCKED OR DAMAGED ON THE EDGE THE PANEL WILL BREAK INTO SMALL PIECES.

GLASS SHOULD NEVER BE USED IF ANY OF THE EDGES HAVE BEEN DAMAGED SPONTANEOUSLY BREAK.



STORAGE 800 SERIES

About KI

Kl's furniture helps the world's leading organisations create happy, healthy, high performing working and learning environments. Bringing together good design, advanced engineering and sustainable resources, Kl's products are durable, flexible and offer excellent value.

Founded in 1941, KI has grown to become one of the world's largest, most respected furniture manufacturing groups. KI's EMEA headquarters and showroom in Central London is supported by an established network of manufacturing facilities and distribution partners across the UK, Europe and the Middle East.

KI (UK) Ltd

New Fetter Place
8-10 New Fetter Lane
London, EC4A 1AZ
Tel:+44 (0)20 7404 7441
workplace@kieurope.com
www.kieurope.com









