

FEBRUARY 2026



STORAGE COLLECTION
800 SERIES
SPECIFICATION GUIDE

 MADE IN THE UK



Contents

Page 4

Introduction

Page 5

Terminology

Page 6-7



Drawer Cabinets - Contemporary Style

Page 8-9




Drawer Cabinets - Classic Style

Page 10-13



Cupboard Door Cabinets - Classic Style
Cupboard Door Cabinets - Touch Latch

Page 14-15



800 Series Accessories

Page 16-19



Lockers
SmartLocker
Lock & Security Options

Page 20-21



800 Series Recycling Cabinets

Page 22-23



Sliding Door Cabinets

Page 24



Towers

Page 25



Cabinet Plinths

Page 26-27



Pedestals & Pedestal Cushions

Page 28-29



Cabinet Tops & Planters

Page 30-31

Environmental Data Sheet
Glass Safety Instructions

Introduction



Dimensions

Standard shell height	452mm - 2150mm
Standard shell depth	457mm

Depth of 600mm is available as a tailored build.



Indoor Advantage Gold - Furniture

This product is certified to Indoor Advantage Gold - Furniture, making it suitable for many building rating systems, including LEED v4, BREEAM, & WELL Building.

KI (UK) Ltd is the UK's leading specialist storage and filing company. Our experienced team provide tailored solutions drawing from our unrivalled portfolio of products. KI Inc is one of the world's largest private (employee owned) companies, producing contract furniture solutions for Business, Education, Healthcare, and Public Sector/Government Markets.

KI owns over 2.5 million sq.ft. of factory space worldwide, all of which is ISO 9001 certified. The KI 800 Series lateral filing and storage system is manufactured in the UK at a specialist 60,000 sq. ft. storage plant, incorporating state of the art manufacturing processes.

The 800 Series cabinets shown in this prefigured guide are available in 4 standard metric widths and 13 heights. **There are many further height and width options** - please contact your KI Sales Manager for details.

The System is designed on a 38mm height increment. This allows each cabinet to be tailored to meet the design brief and specific media storage requirements, without constraint from the product.

Please refer to www.kieurope.com/storage/800-series-storage/ for product finishes.

KI has implemented a Quality Management System for all its plants and related corporate functions. KI offers free delivery of orders over the value of £5000 during normal working hours by prior arrangement. For any enquires about tailored builds, please contact your KI Sales Manager.

Warranty
All 800 Series products carry a 25 year Warranty (excludes keys and locks)

KI Sales Manager
Tel: 020 7404 7441
Email: sales@kieurope.com

Counterbalance Weight.

A weight fixed into the inside back of the cabinet to minimise the possibility of the cabinet tipping over when a fully loaded drawer is opened.

Slides.

Sometimes called "runners"; the multi ball bearing support mechanism on which a drawer operates.

Lock Barrel.

The removable centre portion of the lock. With a special extractor key, lock barrels can be removed and replaced easily. All cabinets are fitted with a removable lock as standard at no extra charge.

"Double Bit" Lock.

A lock barrel with metal wafers or "bits" on opposing sides of the channel in which the key fits. The corresponding key has teeth on both sides of its blade. The double bit system provides greater security and a wider variety of keying options when compared to single bit locks.

Ganging.

Describes the bolting together of cabinets when installed side by side.

Levelling Feet.

Adjustable large footed bolts that screw into the four bottom corners to adjust the level and height of a cabinet.



Receding Door.

Also called a "flipper door"; the door opens by lifting it at the bottom and sliding it into the cabinet. All KI receding doors have soft close mechanisms and fully recede into the cabinet.



Tie Bar.

Used to complete the available filing height when no insert is required or where no insert is available to complete the remaining height.

Suspended Filing.

Describes filing pockets which hang on bars in pull-out drawers or file frames where access to the contents of the file is from the top.



Front-to-Back Filing.

Describes file pockets or filing boxes which run from the front to the back of the filing drawer. Files are parallel to the front of the drawer.



Side-to-Side Filing.

Describes file pockets or filing boxes which run from the left side to the right side of the filing drawer. Files are parallel to the sides of the cabinet.



Front Access Suspended Filing.

Also known as lateral front access filing. Describes filing pockets which hang on fixed bars or under fixed shelves where access to the contents of the file is from the front only.



End Tab Filing.

Shelf based storage folders, open on one side with colour coded tabs for identification. Documents are removed from the folder and replaced when required.



File Rails.

The heavy gauge steel rails that fit into a drawer to suspend side-to-side hanging folders.



File Bars.

Steel bars that fit across the file rails to suspend front-to-back hanging folders.



Pull-out File Frame.

A frame for suspended filing that is fitted onto slides. The whole frame with the files can be pulled out like a drawer. For use behind cupboard and receding doors.

Interlock/Anti Tilt Mechanism.

A safety mechanism installed in drawer cabinets. Prevents opening more than one drawer at a time. Minimises the possibility of the cabinet tipping.

SATRA & FIRA.

The leading testing, research and technology organisations for the office furniture industry

The entire range of 800 Series cabinets has been tested and passed the following performance tests;

BS4875-7:2006

BS4875-8:1998

BS EN ISO 14001:2004

BS EN ISO 14073-2:2004



BS EN ISO 14073-3:2004

BS EN ISO 14074:2004

Copies of FIRA and SATRA certificates available upon request.

Drawer cabinets - contemporary style






Fully bled, angled handle detail. All closures specified from top to bottom of cabinet. Shell fitted with double bit core removable lock, supplied with 1 folding and 1 fixed key. For spare keys and alternative locking options refer to pages 18-19. Please specify all internals separately, see pages 14-15. 305mm drawers are ready to accept side-to-side suspension files. All cabinets 457mm deep. Stand-alone/non-ganged 2 & 3 drawer cabinets require counterweight, refer to page 15.

Description	Product Code	Width
686mm High		
 <p>2x 305mm drawers with file rails for side-to-side A4/Fools-cap suspended filing.</p>	84ML/802402D	800mm
	84ML/902402D	900mm
	84ML/1002402D	1000mm
	84ML/1102402D	1100mm
715mm High		
 <p>2x 305mm drawers with file rails for side-to-side A4/Foolscap suspended filing. 33mm blank top infill panel.</p>	84ML/802552D	800mm
	84ML/902552D	900mm
	84ML/1002552D	1000mm
	84ML/1102552D	1100mm
997mm High		
 <p>3x 305mm drawers with file rails for side-to-side A4/Foolscap suspended filing.</p>	84ML/803603D	800mm
	84ML/903603D	900mm
	84ML/1003603D	1000mm
	84ML/1103603D	1100mm
1075mm High		
 <p>2x 305mm drawers, 1x 381mm bottom drawer. All drawers with file rails for side-to-side A4/Foolscap suspended filing.</p>	84ML/803903D	800mm
	84ML/903903D	900mm
	84ML/1003903D	1000mm
	84ML/1103903D	1100mm
1075mm High		
 <p>1x 381mm receding door with slotted shelf. 2x 305mm drawers with file rails for side-to-side A4/Foolscap suspended filing.</p>	84ML/803901F2D	800mm
	84ML/903901F2D	900mm
	84ML/1003901F2D	1000mm
	84ML/1103901F2D	1100mm

Drawer cabinets - contemporary style





Fully bled, angled handle detail. All closures specified from top to bottom of cabinet. Shell fitted with double bit core removable lock, supplied with 1 folding and 1 fixed key. For spare keys and alternative locking options refer to pages 18-19. Please specify all internals separately, see pages 14-15. 305mm drawers are ready to accept side-to-side suspension files. All cabinets 457mm deep. Stand-alone/non-ganged 2 & 3 drawer cabinets require counterweight, refer to page 15.

Description	Product Code	Width
1114mm High		
3x 343mm drawers with file rails for side-to-side A4/Foolscape suspended filing.	84ML/804053D	800mm
	84ML/904053D	900mm
	84ML/1004053D	1000mm
	84ML/1104053D	1100mm
1114mm High		
1x 381mm receding door 1x 38mm tie bar shelf 2x 305mm drawers with file rails for side-to-side A4/Foolscape suspended filing.	84ML/804051F2D	800mm
	84ML/904051F2D	900mm
	84ML/1004051F2D	1000mm
	84ML/1104051F2D	1100mm
1153mm Height		
4x 267mm drawers. 267mm drawer will not accommodate binders stored in portrait orientation.	84ML/804204D	800mm
	84ML/904204D	900mm
	84ML/1004204D	1000mm
	84ML/1104204D	1100mm
1308mm Height		
4x 305mm drawers with file rails for side-to-side A4/Foolscape suspended filing.	84ML/804804D	800mm
	84ML/904804D	900mm
	84ML/1004804D	1000mm
	84ML/1104804D	1100mm
1813mm Height		
762mm high single skin cupboard doors with 38mm tie bar. 3x 305mm drawers with file rails for side-to-side A4/Foolscape suspended filing. Cupboard door internals to be specified separately, see pages 16-17.	84ML/80675ME3003D	800mm
	84ML/90675ME3003D	900mm
	84ML/100675ME3003D	1000mm



Drawer cabinets - classic style






Rectangular inset handle detail. All closures specified from top to bottom of cabinet. Shell fitted with double bit core removable lock, supplied with 1 folding and 1 fixed key. For spare keys and alternative locking options refer to pages 18-19. Please specify all internals separately, see pages 14-15. 305mm drawers are ready to accept side-to-side suspension files. All cabinets 457mm deep. Stand-alone/non-ganged 2 & 3 drawer cabinets require counterweight, refer to page 15.

Description	Product Code	Width
686mm High		
 <p>2x 305mm drawers with file rails for side-to-side A4/Fools-cap suspended filing.</p>	8ML/802402D	800mm
	8ML/902402D	900mm
	8ML/1002402D	1000mm
	8ML/1102402D	1100mm
715mm High		
 <p>2x 305mm drawers with file rails for side-to-side A4/Fools-cap suspended filing. 33mm blank top infill panel.</p>	8ML/802552D	800mm
	8ML/902552D	900mm
	8ML/1002552D	1000mm
	8ML/1102552D	1100mm
997mm High		
 <p>3x 305mm drawers with file rails for side-to-side A4/Fools-cap suspended filing.</p>	8ML/803603D	800mm
	8ML/903603D	900mm
	8ML/1003603D	1000mm
	8ML/1103603D	1100mm
1075mm High		
 <p>2x 305mm drawers, 1x 381mm bottom drawer. All drawers with file rails for side-to-side A4/Fools-cap suspended filing.</p>	8ML/803903D	800mm
	8ML/903903D	900mm
	8ML/1003903D	1000mm
	8ML/1103903D	1100mm
1075mm High		
 <p>A4 & Fools-cap binders 1x 381mm receding door with slotted shelf. 2x 305mm drawers with file rails for side-to-side A4/Fools-cap suspended filing.</p>	8ML/803901F2D	800mm
	8ML/903901F2D	900mm
	8ML/1003901F2D	1000mm
	8ML/1103901F2D	1100mm

Drawer cabinets - classic style

Rectangular inset handle detail. All closures specified from top to bottom of cabinet. Shell fitted with double bit core removable lock, supplied with 1 folding and 1 fixed key. For spare keys and alternative locking options refer to pages 18-19. Please specify all internals separately, see pages 14-15. 305mm drawers are ready to accept side-to-side suspension files. All cabinets 457mm deep. Stand-alone/non-ganged 2 & 3 drawer cabinets require counterweight, refer to page 15.







Description	Product Code	Width
1114mm High		
3x 343mm drawers with file rails for side-to-side A4/Foolschap suspended filing.	8ML/804053D	800mm
	8ML/904053D	900mm
	8ML/1004053D	1000mm
	8ML/1104053D	1100mm
1114mm High		
1x 381mm receding door 1x 38mm tie bar shelf 2x 305mm drawers with file rails for side-to-side A4/Foolschap suspended filing.	8ML/804051F2D	800mm
	8ML/904051F2D	900mm
	8ML/1004051F2D	1000mm
	8ML/1104051F2D	1100mm
1153mm High		
4x 267mm drawers. 267mm drawer will not accommodate binders stored in portrait orientation.	8ML/804204D	800mm
	8ML/904204D	900mm
	8ML/1004204D	1000mm
	8ML/1104204D	1100mm
1308mm Height		
4x 305mm drawers with file rails for side-to-side A4/Foolschap suspended filing.	8ML/804804D	800mm
	8ML/904804D	900mm
	8ML/1004804D	1000mm
	8ML/1104804D	1100mm
1813mm Height		
762mm high single skin cupboard doors with 38mm tie bar. 3x 305mm drawers with file rails for side-to-side A4/Foolschap suspended filing. Cupboard door internals to be specified separately, see pages 16-17.	8ML/80675ME3003D	800mm
	8ML/90675ME3003D	900mm
	8ML/100675ME3003D	1000mm



Cupboards






Shell fitted with double bit core removable lock, supplied with 1 folding and 1 fixed key. Espangolette locks fitted as standard on cupboards above and including 1813mm high. This lock is available as an option on lower units. For information please contact your KI Sales Manager. For spare keys and alternative locking options refer to pages 18-19. Soft close hinges. Please specify all internals separately, see pages 14-15. All cabinets 457mm deep. Alternative hinges offering 105° and 180° door opening are available, please contact your KI Sales Manager. Stand-alone/non-ganged cupboards using pull-out file frames up to 1114mm high require counterweight, refer to page 15.

Product Code	Width
686mm High (1 row A4)	
8ML/80240HX	800mm
8ML/90240HX	900mm
8ML/100240HX	1000mm
8ML/110240HX	1100mm
715mm High (1 row A4)	
8ML/80255HX	800mm
8ML/90255HX	900mm
8ML/100255HX	1000mm
8ML/110255HX	1100mm
997mm High (2 row A4)	
8ML/80360HX	800mm
8ML/90360HX	900mm
8ML/100360HX	1000mm
8ML/110360HX	1100mm
1075mm High (3 row A4)	
8ML/80390HX	800mm
8ML/90390HX	900mm
8ML/100390HX	1000mm
8ML/110390HX	1100mm
1114mm High (3 row A4)	
8ML/80405HX	800mm
8ML/90405HX	900mm
8ML/100405HX	1000mm
8ML/110405HX	1100mm
1153mm High (3 row A4)	
8ML/80420HX	800mm
8ML/90420HX	900mm
8ML/100420HX	1000mm
8ML/110420HX	1100mm



Shell fitted with double bit core removable lock, supplied with 1 folding and 1 fixed key. Espangolette locks fitted as standard on cupboards above and including 1813mm high. This lock is available as an option on lower units. For information please contact your KI Sales Manager. For spare keys and alternative locking options refer to pages 18-19. Soft close hinges. Please specify all internals separately, see pages 14-15. All cabinets 457mm deep. Alternative hinges offering 105° and 180° door opening are available, please contact your KI Sales Manager. Stand-alone/non-ganged cupboards using pull-out file frames up to 1114mm high require counterweight, refer to page 15.




Product Code	Width
1308mm High (3 row A4)	
8ML/80480HX	800mm
8ML/90480HX	900mm
8ML/100480HX	1000mm
8ML/110480HX	1100mm
1464mm High (4 row A4)	
8ML/80540HX	800mm
8ML/90540HX	900mm
8ML/100540HX	1000mm
1813mm High (5 row A4)	
8ML/80675HX	800mm
8ML/90675HX	900mm
8ML/100675HX	1000mm
1969mm High (5 row A4)	
8ML/80735HX	800mm
8ML/90735HX	900mm
8ML/100735HX	1000mm
2150mm High (5 row A4)	
8ML/80805HX	800mm
8ML/90805HX	900mm
8ML/100805HX	1000mm



Cupboards - touch latch style

Flush front cupboard doors with touch-latch mechanism. Shell fitted with double bit core removable lock, supplied with 1 folding and 1 fixed key. Espangolette locks fitted as standard on cupboards above and including 1813mm high. This lock is available as an option on lower units. For information please contact your KI Sales Manager. For spare keys and alternative locking options refer to pages 18-19. Soft close hinges. Please specify all internals separately, see pages 14-15. All cabinets 457mm deep. Alternative hinges offering 105° and 180° door opening are available, please contact your KI Sales Manager. Stand-alone/non-ganged cupboards using pull-out file frames up to 1114mm high require counterweight, refer to page 15.


Product Code	Width
686mm High (1 row A4)	
9ML/80240HX	800mm
9ML/90240HX	900mm
9ML/100240HX	1000mm
9ML/110240HX	1100mm
715mm High (1 row A4)	
9ML/80255HX	800mm
9ML/90255HX	900mm
9ML/100255HX	1000mm
9ML/110255HX	1100mm
997mm High (2 row A4)	
9ML/80360HX	800mm
9ML/90360HX	900mm
9ML/100360HX	1000mm
9ML/110360HX	1100mm
1075mm High (3 row A4)	
9ML/80390HX	800mm
9ML/90390HX	900mm
9ML/100390HX	1000mm
9ML/110390HX	1100mm
1114mm High (3 row A4)	
9ML/80405HX	800mm
9ML/90405HX	900mm
9ML/100405HX	1000mm
9ML/110405HX	1100mm



Cupboards - touch latch style







Flush front cupboard doors with touch-latch mechanism. Shell fitted with double bit core removable lock, supplied with 1 folding and 1 fixed key. Espangolette locks fitted as standard on cupboards above and including 1813mm high. This lock is available as an option on lower units. For information please contact your KI Sales Manager. For spare keys and alternative locking options refer to pages 18-19. Soft close hinges. Please specify all internals separately, see pages 14-15. All cabinets 457mm deep. Alternative hinges offering 105° and 180° door opening are available, please contact your KI Sales Manager. Stand-alone/non-ganged cupboards using pull-out file frames up to 1114mm high require counterweight, refer to page 15.


Product Code	Width
1153mm High (3 row A4)	
9ML/80420HX	800mm
9ML/90420HX	900mm
9ML/100420HX	1000mm
9ML/110420HX	1100mm



Accessories

All internal accessories are Dark Tone finish only.

Description	Product Code	Width
 10mm Blank Shelf For use behind cupboard and receding doors. Use magnetic dividers (see below)	8ML/80BS	800mm
	8ML/90BS	900mm
	8ML/100BS	1000mm
	8ML/110BS	1100mm
 25mm Combination Shelf. For use behind cupboard doors. To accommodate lateral suspension files 330mm deep underneath. Use magnetic dividers (see below).	8ML/80COMBI	800mm
	8ML/90COMBI	900mm
	8ML/100COMBI	1000mm
	8ML/110COMBI	1100mm
 10mm Slotted Shelf. For use behind cupboard and receding doors.	8ML/80SS	800mm
	8ML/90SS	900mm
	8ML/100SS	1000mm
	8ML/110SS	1100mm
 Adjustable Lateral Filing Frame. For use behind cupboard and receding doors. To accommodate side-to-side front access suspension pockets. Depth adjustable.	8ML/80UKF	800mm
	8ML/90UKF	900mm
	8ML/100UKF	1000mm
	8ML/110UKF	1100mm
 Pull-out File Frame. For use behind hinged and receding doors. Includes 2 clip-in file bars for side-to-side suspension files. Interlock system supplied when more than one frame fitted.	8ML/80POFF	800mm
	8ML/90POFF	900mm
	8ML/100POFF	1000mm
	8ML/110POFF	1100mm
 Coat Rail. Includes mounting hardware. For installation behind cupboard doors.	8ML/80CR	800mm
	8ML/90CR	900mm
	8ML/100CR	1000mm
	8ML/110CR	1100mm

Description	Product Code
 File Bar. To accommodate front-to-back suspension files.	8ML/EUROK

All internal accessories are Dark Tone finish only.

Description	Product Code	Width
Infill Panel. 153mm wide panel to close gaps behind cabinets with cable management voids.	8ML/240IP	686mm
	8ML/360IP	997mm
	8ML/405IP	1114mm
	8ML/480IP	1308mm



Description	Product Code
Slotted Shelf Dividers. Pack of 5 dividers.	8ML/33412DV
Shallow Drawer Dividers. Price per pack of 3.	8ML/3346DV
Magnetic Divider. For use with blank shelves and drawer bases.	PF-MAGDIV
Low Non-magnetic Divider. For use with blank shelves and drawers	8ML/152DIV




Description	Product Code
Counterbalance Weight For lateral file cabinets. Recommended for 2-3 high stand-alone cabinets.	8ML/CBW50



Note: Only recommended in 2 door cupboards when pull out file frames are fitted

For cupboards 800mm wide	8ML/BSW08
For cupboards 900mm wide	8ML/BSW09
For cupboards 1000mm wide	8ML/BSW10
For cupboards 1100mm wide	8ML/BSW11



Individually Locking Drawers For use with all 305mm drawer styles. Includes raised security back with file rails for side-to-side suspended filing. Can be retrofitted on site.	8ML/TLDA
---	----------




Lock and Key Set Removable double bit core lock with folding and one fixed key.	KPB5656
---	---------




Lockers

Each locker compartment supplied with 2 folding keys and label holder. For alternative locking options refer to pages 18-19. All cabinets 457mm deep.




Description	Product Code	Width
997mm High		

6 Locker Doors (3 wide by 2 high)	8ML/803603X2L	800mm
	8ML/1003603X2L	1000mm




1075mm High		
--------------------	--	--

6 Locker Doors (2 wide by 3 high)	8ML/803902X3L	800mm
	8ML/1003902X3L	1000mm




1075mm High		
--------------------	--	--

4 Locker Doors, 2 Split Locker Drawers (2 wide by 3 high)	84ML/803902D4L	800mm
	84ML/1003902D4L	1000mm




1114mm High		
--------------------	--	--

6 Locker Doors (2 wide by 3 high)	8ML/804052X3L	800mm
	8ML/1004052X3L	1000mm



1114mm High		
--------------------	--	--

4 Locker Doors, 2 Split Locker Drawers (2 wide by 3 high)	84ML/804052D4L	800mm
	84ML/1004052D4L	1000mm




1464mm High		
--------------------	--	--

8 Locker Doors (2 wide by 4 high)	8ML/805402X4L	800mm
	8ML/1005402X4L	1000mm



1464mm High		
--------------------	--	--

9 Locker Doors (3 wide by 3 high)	8ML/805403X3L	800mm
	8ML/1005403X3L	1000mm



1813mm High		
--------------------	--	--

10 Locker Doors (2 wide by 5 high)	8ML/806752X5L	800mm
	8ML/1006752X5L	1000mm

Each locker compartment supplied with 2 folding keys and label holder. For alternative locking options refer to pages 18-19. All cabinets 457mm deep.



Description	Product Code	Width
-------------	--------------	-------

1114mm High

2 Locker Locker Doors Tie Bar Shelf 2x 305mm Drawers	84ML/804052D2L	800mm
	84ML/1004052D2L	1000mm

1114mm High

2 Locker Locker Doors Tie Bar Shelf 2 Door Cupboard	84ML/80405HX2L	800mm
	84ML/100405HX2L	1000mm



Description	Product Code	Width
-------------	--------------	-------

Locker Shelf Kit. Single plain steel shelf and brackets to fit inside locker compartment. Dark Tone finish	8ML/80LSK	800mm
	8ML/100LSK	1000mm

Locker Door Post Slot (Price per door)	8ML/PS	All sizes
--	--------	-----------

KI Smartlocker

KI SmartLocker is a personal storage module, which is securely fixed inside a standard 305mm high drawer. This provides the perfect answer to personal storage within open plan drawer based environments. Up to three modules may be located in a 1000mm wide single drawer. Silver finish only.

Description	Product Code
-------------	--------------

KI SmartLocker without post slot.	8ML/SSML
-----------------------------------	----------

KI SmartLocker with post slot.	8ML/SSML/PS
--------------------------------	-------------



Lock & security options

Replacement Keys and Barrels

KI has appointed Webshield as a mobile locksmith and replacement key and lock core service. Webshield hold a stock of key blanks and will cut and supply replacement keys for the most commonly used P numbers within 24 hours. Replacement lock cores and pairs of keys are also available. Keys will only be supplied on receipt of an official order, which must also show the End User and contact name. Master and extractor keys are available for named End User orders. Please call the KI Sales Department.

Additional folding keys are available at extra cost for each cabinet. Please specify at the time of order with the code number F KEY I.

Webshield
Mobile Locksmith
21 Mount Pleasant Crescent
London N4 4HP

Contact: Michael Malone
Tel: 020 8364 3220
Mobile: 07836 642022
Fax: 020 8364 2220

Description	Product Code
-------------	--------------

Lock and Key Set

Removable double bit core lock with folding and one fixed key.

KPB5656



The prices below refer to locks fitted to hinged doors. Sudhaus locks can be fitted to drawer and cupboard units. Contact KI Sales Manager for more details.

4 Digit Sudhaus Lock

4 digit combination lock with 'auto zeroing' and master override key.

Also for use with lateral drawer and cupboard door units.

8ML/CL4



Description	Product Code
-------------	--------------

L&F Digital Combination Lock

Keypad access via 4 digit code - Pre-set master code - emergency key override - Private or public modes - Available in silver or black, other colours available subject to minimum order quantity.

8ML/ELS
(Silver)

8ML/ELB
(Black)

8ML/ELW
(White)



Flushfit L&F Digital Combination Lock

Flushfit lock with keypad access via 4 digit code - Pre-set master code - emergency key override - Private or public modes - Available in silver or black, other colours available subject to minimum order quantity.

8ML/FFELS
(Silver)

8ML/FFELB
(Black)

8ML/FFELW
(White)



Lock & security options

Description	Product Code
LS300 including battery pack <ul style="list-style-type: none">- programmable battery operated RFID lock- battery condition indicator & audible actuation- available with optional software- round or rectangular knob option- 4x mounting directions- available in black or white	8ML/SAGRfid/LS300
LSW300 including battery pack <ul style="list-style-type: none">- programmable battery operated RFID lock- battery condition indicator & audible actuation- available with optional software- 4x mounting directions- available in black or white	8ML/SAGRfid/LSW300



Recycling cabinets

For recycling and secure disposal of waste paper and confidential documents, containers, packaging and organic waste matter. Available with post slots or receding doors set into fixed fascia at the top of the cabinet. For alternative locking options refer to pages 18-19. Soft close hinges. Options for the application graphics and display signage available, please contact your KI Sales Manager for more details.



Description	Product Code	Width
997mm High		

1 post slot 1 receding flap	8ML/80360RFPS	800mm
	8ML/100360RFPS	1000mm



997mm High		
-------------------	--	--

2 receding flaps	8ML/80360RF2	800mm
	8ML/100360RF2	1000mm



1075mm High		
--------------------	--	--

2 receding flaps	8ML/80390RF2	800mm
	8ML/100390RF2	1000mm



1114mm High		
--------------------	--	--

1 post slot 1 receding flap	8ML/80405RFPS/LH	800mm
	8ML/100405RFPS/LH	1000mm




1114mm High		
--------------------	--	--

1 post slot 1 receding flap	8ML/80405RFPS/RH	800mm
	8ML/100405RFPS/RH	1000mm



1114mm High		
--------------------	--	--

2 receding flaps	8ML/80405RF2	800mm
	8ML/100405RF2	1000mm



1308mm High		
--------------------	--	--

2 receding flaps	8ML/80480RF2	800mm
	8ML/100480RF2	1000mm







Recycling cabinets

For recycling and secure disposal of waste paper and confidential documents, containers, packaging and organic waste matter. Available with post slots set into the top of the cabinet doors. For alternative locking options refer to pages 18-19. Soft close hinges. Options for the application graphics and display signage available, please contact your KI Sales Manager for more details.

Description	Product Code	Width
1075mm High		
Recycle unit with 2 individually locking doors and secure post slots.	84ML/80390REC	800mm
Centre partition & 2x adjustable shelves.	84ML/100390REC	1000mm
1075mm High		
Recycle unit with 2 individually locking doors and 1 secure post slot.	84ML/80390HXREC	800mm
Centre partition & 3x adjustable shelves.	84ML/100390HXREC	1000mm
1114mm High		
Recycle unit with 2 individually locking doors and secure post slots.	84ML/80405REC	800mm
Centre partition & 2x adjustable shelves.	84ML/100405REC	1000mm
1114mm High		
Recycle unit with 2 individually locking doors and 1 secure post slot.	84ML/80405HXREC	800mm
Centre partition & 3x adjustable shelves.	84ML/100405HXREC	1000mm
Internal Recycling Bins		

Description	Product Code	Colour
Aluminium recycling bin. For 1000mm wide cabinets only. 720mm (h), 375mm (w), 375mm (d)	CZ 10001	White
	CZ 10024	Black
	CZ 10029	Silver
39 Litre bin. 500mm (h), 387mm (w), 279mm (d)	8ML/PBIN/01	

Blue, Black or Grey.



Sliding door cabinets

Sliding soft close doors with damper. One price flush front carcass frame. Dual locking. Includes UKF filing rail at top. For acoustic and perforated door options contact KI Sales Manager
Requires Steel or MFC top, see below.

Product Code	Width
--------------	-------

715mm High

84ML/120255SLD	1200mm
----------------	--------

84ML/160255SLD	1600mm
----------------	--------

84ML/240255SLD	2400mm
----------------	--------

1114mm High

84ML/120405SLD	1200mm
----------------	--------

84ML/160405SLD	1600mm
----------------	--------

84ML/240405SLD	2400mm
----------------	--------

Description	Product Code	Width
-------------	--------------	-------

2mm Steel Trim Top Or use MFC top (see below)	84ML/120SLDT	1200mm
---	--------------	--------

84ML/160SLDT	1600mm
--------------	--------

84ML/240SLDT	2400mm
--------------	--------

25mm MFC top Or use steel top (see above).	84ML/120/MFC	1200mm
--	--------------	--------

84ML/160/MFC	1600mm
--------------	--------

84ML/240/MFC	2400mm
--------------	--------






Sliding door cabinets


Sliding door Cabinets have a central partition, dividing the interior of the cabinet vertically into two parts.

Each item of internal accessories occupies one half of each side of the cabinet.

Description	Product Code	Cabinet Width
10mm Plain Shelf Use with magnetic dividers (see below).	84ML/120BS	1200mm
	84ML/160BS	1600mm
	84ML/240BS	2400mm
25mm Combination Shelf To accommodate lateral suspension files 330mm deep underneath. Use with magnetic dividers (see below).	84ML/120COMBI	1200mm
	84ML/160COMBI	1600mm
	84ML/240COMBI	2400mm
Pull-out Filing Frame With two file bars.	84ML/120POFF	1200mm
	84ML/160POFF	1600mm
	84ML/240POFF	2400mm



Description	Product Code
Magnetic Divider For use with blank shelves and drawer bases.	PF-MAGDIV




Towers

One price flush front carcass frame with pull out shelving on casters. Left handed refers to the cabinet positioned on the the left hand side of the user, and vice versa for right handed. Shell fitted with double bit core removable lock, supplied with 1 folding and 1 fixed key.
Has steel top by default but can be replaced with optional MFC top, see below.

Description	Product Code	Handed
Under Desk		
 <p>Under Desk Tower Pull-out storage section with pen tray. 1x combination shelf 600mm (h), 415mm (w), 800mm (d)</p>	84ML/80240UDT/LH	Left hand
	84ML/80240UDT/RH	Right hand
Desk High (with MFC top and spacer)		
 <p>Desk High Tower Pull-out storage section with pen tray. 1x combination shelf. 705mm (h), 415mm (w), 800mm (d) <i>740mm desk height when specified with top and spacer, see below.</i></p>	84ML/80255DHT/LH	Left hand
	84ML/80255DHT/RH	Right hand
1114mm High		
 <p>High Tower 2 adjustable shelves for 3 rows of A4 filing. 1114mm (h), 457mm (w), 800mm (d) Option to have MFC top (see below).</p>	84ML/80405HT/LH	Left hand
	84ML/80405HT/RH	Right hand
1114mm High		
Description	Product Code	Dimensions
MFC top for 1114mm High Tower	KIMFC/25/457-800	800x457mm
MFC top for Desk High Tower	84ML/DHTT	800x415mm
Spacer for Desk High Tower	84ML/DHTS	700x315mm



Steel frame cabinet plinth, 100mm high with levelling feet.



Product Code	Width
8SH/PLINTH/800	800mm
8SH/PLINTH/900	900mm
8SH/PLINTH/1000	1000mm
8SH/PLINTH/1100	1100mm

Pedestals

One-piece steel body, flush front drawers with recessed side pull and levelling glides. Includes pen tray and file bars. All pedestals have an 8mm metal top except where stated. Fitted Lowe & Fletcher locks as standard with two folding keys.



Description	Product Code	Dimensions
Mobile, A4 width, low height. <i>Compatible with Sit -Stand Workstations</i> 1x box drawer, 1x filing drawer, Plastic pen tray	94000-U8	415mm (w) 481mm (h) 555mm (d)



Mobile, A4 width, mid height. 1x pull-out pen drawer with drop-in pen tray 1x box drawer 1x filing drawer	94020-U8	415mm (w) 554mm (h) 555mm (d)
---	----------	-------------------------------------



Mobile, A4 width, mid height. 2x box drawers (top drawer 116mm) 1x filing drawer Plastic pen tray	91212-U8	415mm (w) 554mm (h) 765mm (d)
---	----------	-------------------------------------



Mobile, A4 width, mid height. 2x box drawers (top drawer 116mm) 1x filing drawer Plastic pen tray	94031-U8	415mm (w) 598mm (h) 555mm (d)
---	----------	-------------------------------------



Mobile, A4 width, standard height. 2x box drawers 1x filing drawer Plastic pen tray	94011-U8	415mm (w) 631mm (h) 555mm (d)
---	----------	-------------------------------------



Mobile, narrow width, low height. <i>Compatible with Sit -Stand Workstations</i> 1x box drawer, 1x filing drawer, Plastic pen tray	94060-U8	315mm (w) 481mm (h) 555mm (d)
---	----------	-------------------------------------



Mobile, narrow width, standard height. 2x box drawers. 1x filing drawer Plastic pen tray	94071-U8	315mm (w) 631mm (h) 555mm (d)
--	----------	-------------------------------------



Desk High Pedestal A4 width Supplied without steel top - ready for MFC top Fixed Fascia Panel 2x Box drawers, 1x Filing drawer	94041	415mm (w) 715mm (h) 555mm (d)
--	-------	-------------------------------------




Desk High Pedestal A4 width Supplied without steel top - ready for MFC top Fixed Fascia Panel 2x Box drawers, 1x Filing drawer	94056	415mm (w) 715mm (h) 765mm (d)
--	-------	-------------------------------------



Mobile A4 width, side access, mid height. 1x box drawer 1x Side Access filing drawer for A4 and Foolscap portrait binders and suspended files.	91232-U8LH (Left hand) 91232-U8RH (Right hand)	415mm (w) 598mm (h) 555mm (d)
--	---	-------------------------------------

40mm thick fabric wrapped foam cushion on 12mm MDF backing Board. Available in 315mm and 415mm widths at 555mm deep with magnetic or screw fixings. Camira Blazer or Camira Xtreme fabric options.

Description	Width	Product Code
Magnetic fixing, Camira Blazer Fabric	415mm	84ML/MPC/555.415B
Screw fixing, Camira Blazer Fabric	415mm	84ML/FPC/555.415B
Magnetic fixing, Camira Blazer Fabric	315mm	84ML/MPC/555.315B
Screw fixing, Camira Blazer Fabric	315mm	84ML/FPC/555.315B
Magnetic fixing, Camira Xtreme Fabric	415mm	84ML/MPC/555.415X
Screw fixing, Camira Xtreme Fabric	415mm	84ML/FPC/555.415X
Magnetic fixing, Camira Xtreme Fabric	315mm	84ML/MPC/555.315X
Screw fixing, Camira Xtreme Fabric	315mm	84ML/FPC/555.315X



Pedestals accessories

Description	Product Code
Metal divider for A4 box drawer. <i>Minimum order 10.</i>	81200
Metal divider for A4 filing drawer. <i>Minimum order 10.</i>	81201
Metal divider for narrow filing drawer. <i>Minimum order 10.</i>	3558
A5 drop-in pen tray. Black polypropylene. <i>Minimum order 5.</i>	16184

Steel cabinet tops

Steel top boxes illustrated with optional colour accents on the infill panels. All steel tops 457mm deep. Contact KI Sales Manager for details.



399mm high Open Top Box

Overall height of 1114mm when placed on top of 715mm high cabinets.

84ML/80405OTB

800mm

84ML/100405OTB

1000mm

Sloping Top

Matching steel tops to keep surfaces free from clutter. Can be fitted to the top of any 457mm deep cabinet.

8ML/800ST

800mm

8ML/900ST


900mm

8ML/1000ST

1000mm

8ML/1100ST

1100mm



MFC cabinet tops

457mm deep, 25mm MFC tops with matching surfaces and edges. Other sizes, thicknesses and finish options for are available, please contact KI Sales Manager.



Description

Cabinet Tops.

For single cabinets. Matching surface and edges. *Other sizes and finishes available upon request. See page 29 for finish options.*

Product Code

KIMFC/25/457-800

800mm

KIMFC/25/457-900

900mm

KIMFC/25/457-1000

1000mm

KIMFC/25/457-1100

1100mm

For two cabinets

KIMFC/25/457-1602

1600mm

KIMFC/25/457-1802

1800mm

KIMFC/25/457-2002

2000mm

KIMFC/25/457-2202

2200mm

MFC Top Box Infills


For the interior of Open Top Boxes

KIMFC/25/0755

800mm

KIMFC/25/0955

1000mm




Cabinet top planters

150mm high planter tops. If used with real plants and soil, order matching waterproof liner below.


Steel Planters

Product Code	Cabinet Width
84ML/80PLANTER/20	800mm
84ML/90PLANTER/20	900mm
84ML/100PLANTER/20	1000mm
84ML/110PLANTER/20	1100mm




18mm MFC Planters

Product Code	Cabinet Width
8ML/MFCPLAN/800/150/457	800mm
8ML/MFCPLAN/900/150/457	900mm
8ML/MFCPLAN/1000/150/457	1000mm
8ML/MFCPLAN/1100/150/457	1100mm



Liner made from 100% recycled ABS. Black finish. MINIMUM 10 ORDER QTY.

84ML/80LINER	800mm
84ML/90LINER	900mm
84ML/100LINER	1000mm
84ML/110LINER	1100mm



Glass cabinet tops

Toughened, low iron 10mm glass top. 6mm also available. BS 6206 & BS EN 12150. Clear 5mm neoprene locating pads supplied. Other sizes, thicknesses and finish options are available, please contact KI Sales Manager. Refer to page 37 for detailed safety instructions. **Glass tops are subject to a minimum order value of £500.**

Description

Low Iron, Non-coloured Glass Top.

Low Iron, Colour Coat Glass Top.

Low Iron, Etched Glass Top.



Environmental data sheet

KI 800 Series Files & Storage

Filing and storage cabinets are constructed from 0.7mm to 1.5mm cold rolled steel, which on average is 67% recycled steel content. Steel is treated to ensure the bonding of the 2 stage paint process, which provides a stain and scratch resistance surface.

Recycled Content

Numbers effective on 01/01/2009

Material	Recycled Content %	% Post Consumer	% Post Industrial	Can Be Recycled Y/N
Cardboard Packaging	100%	85%	15%	Y
Pallets	100%	90%	10%	Y
Steel	67%	65%	2%	Y

Finishes

Powdercoating process lines use water-based cleaning systems prior to powder painting to clean parts as opposed to solvent-based cleaning systems. Powder coatings are baked onto the metal components using natural gas fired ovens. Powder coatings contain negligible VOC and Hazardous Air Pollutant (HAP) contents. Add-on pollution control equipment is not necessary given the very low levels of pollutants.

ISO 14001/EMAS management processes.

KI is continually exploring viable product designs and solutions that will aid in the achievement of those principles upheld by the Leadership in Energy and Environmental Design (LEEDTM), a priority programme of the USGBC (U.S. Green Building Council).

In 2003, KI became a corporate member of the USGBC and a corporate sponsor of the launch of LEED's CI Rating System in 2005. Representing the furniture manufacturing industry, KI works in co-operation with environmental professionals and their projects to examine how the company's product offerings embrace such critical areas as Energy Efficiency, Human and Environmental Health, Durability, Performance & Maintenance, Embodied Energy and Pollution, Resource Limitation and Waste Management.

Please refer to KI's environmental brochures for further details.



Toughened glass safety information

Toughened or Tempered glass is 5 times stronger than normal annealed (float) glass, however when damaged the panel will shatter into small pieces known as fragments.

Handling of Toughened Glass

- Carry one panel at a time
- Never place the glass down onto rough surfaces.
- Wear suitable hand protection

Storage of Toughened Glass

- You should always avoid glass to glass or glass to metal contact. A suitable protection should be used
- Glass should be stored upright on the edge, never flat on top of each other
- Protection should be sought from any inclement weather
- Glass should be covered whilst on site to avoid damage from other works.

THE MOST VULNERABLE PART OF ANY TOUGHENED GLASS IS THE EDGE. IF THE PANEL IS KNOCKED OR DAMAGED ON THE EDGE THE PANEL WILL BREAK INTO SMALL PIECES.

GLASS SHOULD NEVER BE USED IF ANY OF THE EDGES HAVE BEEN DAMAGED AS THIS WILL CREATE A WEAKNESS AND COULD CAUSE THE PANEL TO SPONTANEOUSLY BREAK.



STORAGE 800 SERIES

About KI

KI's furniture helps the world's leading organisations create happy, healthy, high performing working and learning environments. Bringing together good design, advanced engineering and sustainable resources, KI's products are durable, flexible and offer excellent value.

Founded in 1941, KI has grown to become one of the world's largest, most respected furniture manufacturing groups. KI's EMEA headquarters and showroom in Central London is supported by an established network of manufacturing facilities and distribution partners across the UK, Europe and the Middle East.

KI (UK) Ltd
91 Goswell Road
London
EC1V 7EX
Tel: +44 (0)20 7404 7441
workplace@kieurope.com
www.kieurope.com

KI and Furnishing Knowledge are registered trademarks of Krueger International Inc

