



# CONTENTS

Grafton Seating	5
<ul> <li>Grafton Collection</li> <li>Stacking Chair</li> <li>Stacking Stool</li> <li>Task Chair</li> <li>Task Stool</li> </ul>	9
<ul> <li>Grafton HD Collection</li> <li>HD Stacking Chair</li> <li>HD Stacking Stool</li> <li>HD Stacking Table</li> </ul>	18
<ul> <li>Customisation Options</li> <li>Upholstery Options</li> <li>Tablet Arm Options</li> <li>Polypropylene &amp; Frame Colours</li> <li>Table Finishes</li> </ul>	28
Specification	40
Additional Information	54














HD Chair




Task Chair



Stacking Stool



HD Stool



Task Stool
























### HD Stacking Table

Lightweight and easy to maneuver, they enable quick reconfiguration of spaces for training, exams, or temporary classrooms. Durable and space efficient, the tables stack 10 high on the floor or 20 high on a dolly, with full-length undersurface bumpers protecting the worksurfaces during storage. Each table supports up to 136 kg. Minimum order quanity of 10 tables.

Dimensions (WxDxH, mm):
Overall - 665 x 558 x 736
Worksurface - 603 x 482
Floor stack (10)
673 x 704 x 997
Dolly stack (20)
711 x 863 x 1536
Weight - 9kg (per unit)

15 year warranty







# Customisation Options

The Grafton collection comes in 6 different finishes and 4 frame options. Optional upholstery, tablet arms, castors and arm rests are available to enhance comfort and functionality.

















Opt for a polypropylene or fully upholstered seat, based on your preference.

The Grafton collection features a black, 30% recycled polypropylene shroud to protect under structure for upholstered chairs except stools.

Contact your KI Account Manager for the most up-to-date fabric options.


Band I	Band 2		Band 3	
Camira Fabrics Citadel Era Gravity Phoenix Revit	Camira Fabrics Advantage Canopy Chateau Figaro Halcyon - Linden Honeycomb Mainline Flax Mainline Plus Manhattan Marvel Patina Sprint Urban Velocity Vita X2 Xtreme Xtreme CS	Chieftan Fabrics Just Colour (vinyl)	Camira Fabrics 24/7 + 24/7 Flax Acrobat Aquarius Blazer Century Craggan Craggan Flax Halcyon - Aspen Halcyon - Blossom Halcyon - Cedar Halcyon - Poplar Hebden Hemp Hi-Tech Intervene Plain Intervene Texture	Landscape - Balance Landscape - Contact Landscape - Synergy Silk Stripes Synergy Touch FR Track Trail












Blue Grey

Cool Grey


\*Chrome

\*Only available in HD





Pantone Cool Grey 9c



4444

76767676767e

telesters.

Y.Y.Y.Y.Y.

# **Nordic Blue**

Pantone 4145c

Pantone 426c

Black



\*\*\*\*\*\*\*\*\*\*\*\*

Marian.

44444


\*\*\*\*

### Raw Jasper

intone 4625c



### Grafton Table Finishes



Visit our website or contact your KI Account Manager for the most up to date options and lead times.

#### Worksurfaces - Laminate Finishes







White Nebula

Graphite Nebula

Black

#### Frame Finishes

Chrome

#### Optional Glides

Glide Material	Carpet	Resilient Flooring			Hard Flooring		
		Vinyl Sheet	VCT	Rubber	Ceramic Tile	Concrete	Hardwood
A. Polycarbonate	**	*	*	*	**	*	NR
B. Steel	**	*	*	*	NR	NR	NR
C.Felt Glide	NR	*	*	NR	*	*	**
D. PVC	NR	**	**	*	**	*	**









A. Polycarbonate

B. Steel

C. Felt Glide


D. PVC

\*\* = Best Performance


\* = Acceptable Performance


NR = Not Recommended


Steel glides are not recommended for light coloured floors

















6.1kg/6.8kg












### Specification










Specification

HD Table







### Additional Information

#### KI (UK) Ltd Rights & Warranties

We stand behind the quality of our Grafton Seating Collection. Enjoy peace of mind with our 15-year warranty and 5-year warranty on task base and gas column. For detailed warranty information, please visit our website:

https://www.kieurope.com/customerservice/legal-privacy/warranties

#### **Environmental Information**

We prioritise sustainability in our manufacturing processes and materials.

Materials

30% polypropylene backrest & seat 100% recycled polypropylene underseat shroud

Task base - 100% nylon

Foot ring - chrome plated steel

Glides - nylon with steel pin

Castors - nylon with steel pin & components Tablet arms - worksurface I 5mm BB/ BB birch ply board, finished with laminate surface, two-coat lacquer edge.

Arm 100% powdercoated steel with plastic or rubber cap.

Polyproylene in all colours contains a minimum of 30% recycled content.
All nylon parts are 100% recycled content
Steel parts contain 20% recycled content
All polypropylene, nylon and steel parts are 100% recyclable

#### Certification

Indoor Advantage<sup>™</sup> Gold - Furniture
 This product has been independently assessed by <u>SCS Global Services</u> to be certified for low volatile organic compound (VOC) emissions. The Indoor Advantage<sup>™</sup> Gold standard aligns with both ANSI/BIFMA M7.1 and X7.1, and CA01350. Suitable for projects aiming to achieve <u>SKA</u>, <u>BREEAM</u>, <u>WELL</u>, <u>LEED v4</u> and more.

#### EN16139:2013

Strength, durability and safety -Requirements for non-domestic seating (for adults weighing up to 110kg)

#### Design Resources

Images libraries, certificates, CAD/Revit models and more resources are available on <a href="https://www.kieurope.com/grafton">www.kieurope.com/grafton</a>

#### Care & Maintenance Instructions

Proper care and maintenance are essential for preserving the appearance and finish of your Grafton Seating. Here are some guidelines for each component:

#### Polypropylene shells

To clean the poly shells, use a soft cloth with mild soap or detergent and lukewarm water. Avoid using solvents, citrus/orange-based cleaners, or heavy-duty kitchen cleaners. Wipe dry immediately. For light cleaning and restoring the lustre of smooth surfaces, use a non-abrasive all-purpose cleaner. High-quality wax can also be used to protect the finish.

#### Powder-coated & chrome metal frames

For powder coated metal frames, use a mild solution of water and detergent. Always rinse thoroughly with water and dry with a soft cloth. It is recommended to protect frames from water, rain, ice, snow and salt. For gloss finishes, use a silicon-based spray polish. For thin surfaces scratches, wipe with thinners or spray with clear lacquer. Deep scratched can be sanded with emery paper, cleaned and repainted with appropriate spray gloss / matte paint. Always ensure colour matching by spraying onto white photocopy paper for reference.

#### Laminate surfaces

To clean laminate surfaces, use an all-purpose cleaner to remove ink stains, crayon marks and water-based paint stains. Use thinners to remove oil-based paint stains (apply onto a soft cloth, not directly on the surface). For superficial surface scratches, use linseed oil. Avoid using thinners on PVC edging, as it may cause damage. Do not use excessive water to clean work surfaces, as it can lead to warping or thickness changes.

#### Vinyl fabric

For vinyl fabric upholstery, use warm water with normal dishwashing liquid and a soft cloth. Dry with a clean, soft cloth.

#### Polyester & wool fabric

To clean polyester and wool fabric upholstery, use dry carpet pellets or powder for wet stains. Let the area dry and brush off or vacuum. For dry stains, apply a standard upholstery cleaner foam, spray lightly, let it sit for 5 minutes and brush off.

#### Packaging & Shipping

We believe in responsible packaging. Our Grafton Seating is shipped in 100% recyclable cardboard cartons, with 1 task chair or 2 stacking chairs per carton.

Product	Units per pallet	Pallet weight (kg)	Pallet dimensions (mm, LxWxH)
4 Leg	16	156	1000x1200x1370
4 Leg on Castors	16	161	1000×1200×1470
4 Leg with arms	4	49	1000×1200×2100
4 Leg on castors with arms	4	50	1000×1200×2100
Sled Base	16	161	1000x1200x1470
Stool	3	50	1000×1200×1900
Task	4	65	1000×1200×2100
Task Stool	4	71	1000×1200×2100
HD Chair	60	419	1000×1200×2100
HD Chair with Arms	40	305	1000×1200×2100
HD Stool	40	369	1000×1200×2100













KI (UK) Ltd 91 Goswell Road London,

ECIV 7EX

kieurope.com 020 7404 744 l info@kieurope.com