

JANUARY 2026

---



WORKSTATION COLLECTION  
**UNITE<sup>SE</sup>**  
SPECIFICATION GUIDE



DESIGNED & MANUFACTURED IN THE UK



# General specifications

## General Construction

The Unite<sup>SE</sup> bench & desk system is constructed using a simple, modular understructure that is light, easy to assemble and very stable. The basic construction comprises a set of end legs connected by transverse rails that support the worksurfaces. Longer runs can be achieved adding intermediate legs and additional rails as required. The leg frame is a fixed height 'goalpost' or 'hoop' style with a cross section of 40x60mm. The metal frame is available in two colours as standard.

## Dimensions

The Unite<sup>SE</sup> benching system is available as double row (back-to-back) benches sharing the underframe structure and cable tray, single row benches or single freestanding desks/tables. Double row benches are available in 1600mm depths. Single row benches and desks are available in 800mm and 600mm depths. The horizontal rails are available in five widths to accommodate worksurface widths of 1000mm to 2000mm in 200mm intervals for all types of bench.

A 120° workstation is available as a stand-alone configuration or can be joined to the double row benches with intermediate legs. The top size is 1200mm along the 120° length in 1200mm or 1600mm depths.

## Screens

The screens are 374mm high above the desk surface to match KI's 1114mm high Unite<sup>SE</sup> Storage range. There is a selection of tool rail and panel options. The screens are fixed via a mounting plate and are rigid enough to support monitor arms and screen hung storage such as KI SmartBoxes. Screen widths correspond with the worksurface widths. Shorter screens can be used to create gaps or a single longer screen can be used across two worksurfaces up to 1800mm.

## Worksurfaces

Finished worksurface height is 740mm available with fixed or sliding top options. Worksurfaces are 25mm, square edge MFC in five finishes with matching 2mm edge as standard. Other materials, dimensions and finishes are available upon request. There are various options for grommets, cut-out and scalloped edges for cable access.




## Cable Management

There are three different types of cable management trays; Shallow and High Capacity double trays for double row benches and single trays for single row benches/desks. The double row trays are secured via a Variable Support Bracket fixed onto the understructure rails. The single row version can be suspended directly from the understructure rails or via Half Variable Support Brackets. All data and power installation can take place prior to the installation of the worktops.

## Accessories

Other accessories such as cable risers, CPU holders and screen mounted paper trays are also available.

Please refer to [www.kieurope.com](http://www.kieurope.com) for product finishes.



## Indoor Advantage Gold - Furniture

This product is certified to Indoor Advantage Gold - Furniture, making it suitable for many building rating systems, including LEED v4, BREEAM, & WELL Building.






Double row benches - 1200mm sections

How to order:


**1. Select prefigured build required.**  
Prefigured workstation builds includes understructure, MFC worktops and fixings.

**2. If required, add optional items (screens, cable trays etc).**

For finishes refer to  
[www.kieurope.com/workstations/unitese-workstations/](http://www.kieurope.com/workstations/unitese-workstations/)

| Description   |                                  | Product Code |                      |
|---|----------------------------------|--------------|----------------------|
|    | Two person bench<br>1600x1200mm  | Fixed Top    | 8BD/1612/NCT/1/2     |
|   |                                  | Sliding Top  | 8BD/1612/NCT/1/2/ST  |
|    | Four person bench<br>1600x2400mm | Fixed Top    | 8BD/1624/NCT/2/4     |
|   |                                  | Sliding Top  | 8BD/1624/NCT/2/4/ST  |
|   | Six person bench<br>1600x3600mm  | Fixed Top    | 8BD/1636/NCT/3/6     |
|   |                                  | Sliding Top  | 8BD/1636/NCT/3/6/ST  |
|  | Eight person bench<br>1600x4800  | Fixed Top    | 8BD/1648/NCT/4/8     |
|   |                                  | Sliding Top  | 8BD/1648/NCT/4/8/ST  |
|   | Ten person bench<br>1600x6000mm  | Fixed Top    | 8BD/1660/NCT/5/10    |
|   |                                  | Sliding Top  | 8BD/1660/NCT/5/10/ST |

To make longer runs, add prefigured intermediate section(s) as required.

| Description   |  | Product Code |                     |
|---|--|--------------|---------------------|
|  | Two person intermediate section<br>1600x1200mm | Fixed Top    | 8BD/1612/NCT/EXT    |
|   |  | Sliding Top  | 8BD/1612/NCT/ST/EXT |






Double row benches - 1400mm sections

How to order:


**1. Select prefigured build required.**  
Prefigured workstation builds includes understructure, MFC worktops and fixings.

**2. If required, add optional items (screens, cable trays etc).**

For finishes refer to  
[www.kieurope.com/workstations/unitese-workstations/](http://www.kieurope.com/workstations/unitese-workstations/)

| Description   |                                   | Product Code |                      |
|---|-----------------------------------|--------------|----------------------|
|    | Two person bench<br>1600x1400mm   | Fixed Top    | 8BD/1614/NCT/1/2     |
|   |                                   | Sliding Top  | 8BD/1614/NCT/1/2/ST  |
|    | Four person bench<br>1600x2800mm  | Fixed Top    | 8BD/1628/NCT/2/4     |
|   |                                   | Sliding Top  | 8BD/1628/NCT/2/4/ST  |
|   | Six person bench<br>1600x4200mm   | Fixed Top    | 8BD/1642/NCT/3/6     |
|   |                                   | Sliding Top  | 8BD/1642/NCT/3/6/ST  |
|  | Eight person bench<br>1600x5600mm | Fixed Top    | 8BD/1656/NCT/4/8     |
|   |                                   | Sliding Top  | 8BD/1656/NCT/4/8/ST  |
|  | Ten person bench<br>1600x7000mm   | Fixed Top    | 8BD/1670/NCT/5/10    |
|   |                                   | Sliding Top  | 8BD/1670/NCT/5/10/ST |

To make longer runs, add prefigured intermediate section(s) as required.

| Description   |  | Product Code |                     |
|---|--|--------------|---------------------|
|  | Two person intermediate section<br>1600x1400mm | Fixed Top    | 8BD/1614/NCT/EXT    |
|   |  | Sliding Top  | 8BD/1614/NCT/ST/EXT |






Double row benches - 1600mm sections

How to order:


**1. Select prefigured build required.**  
Prefigured workstation builds includes understucture, MFC worktops and fixings.

**2. If required, add optional items (screens, cable trays etc).**

For finishes refer to [www.kieurope.com/workstations/unitese-workstations/](http://www.kieurope.com/workstations/unitese-workstations/)

| Description   |                                | Product Code |                      |
|---|--------------------------------|--------------|----------------------|
|    | Two person bench 1600x1600mm   | Fixed Top    | 8BD/I616/NCT/I/2     |
|   |                                | Sliding Top  | 8BD/I616/NCT/I/2/ST  |
|    | Four person bench 1600x3200mm  | Fixed Top    | 8BD/I632/NCT/2/4     |
|   |                                | Sliding Top  | 8BD/I632/NCT/2/4/ST  |
|   | Six person bench 1600x4800mm   | Fixed Top    | 8BD/I648/NCT/3/6     |
|   |                                | Sliding Top  | 8BD/I648/NCT/3/6/ST  |
|  | Eight person bench 1600x6400mm | Fixed Top    | 8BD/I664/NCT/4/8     |
|   |                                | Sliding Top  | 8BD/I664/NCT/4/8/ST  |
|   | Ten person bench 1600x8000mm   | Fixed Top    | 8BD/I680/NCT/5/10    |
|   |                                | Sliding Top  | 8BD/I680/NCT/5/10/ST |

To make longer runs, add prefigured intermediate section(s) as required.

| Description   |   | Product Code |                     |
|---|---|--------------|---------------------|
|  | Two person intermediate section 1600x1600mm | Fixed Top    | 8BD/I616/NCT/EXT    |
|   |   | Sliding Top  | 8BD/I616/NCT/ST/EXT |






Double row benches - 1800mm sections

How to order:


**1. Select prefigured build required.**  
Prefigured workstation builds includes understucture, MFC worktops and fixings.

**2. If required, add optional items (screens, cable trays etc).**

For finishes refer to [www.kieurope.com/workstations/unitese-workstations/](http://www.kieurope.com/workstations/unitese-workstations/)

| Description   |                                | Product Code |                      |
|---|--------------------------------|--------------|----------------------|
|    | Two person bench 1600x1800mm   | Fixed Top    | 8BD/I618/NCT/I/2     |
|   |                                | Sliding Top  | 8BD/I618/NCT/I/2/ST  |
|    | Four person bench 1600x3600mm  | Fixed Top    | 8BD/I636/NCT/2/4     |
|   |                                | Sliding Top  | 8BD/I636/NCT/2/4/ST  |
|   | Six person bench 1600x5400mm   | Fixed Top    | 8BD/I654/NCT/3/6     |
|   |                                | Sliding Top  | 8BD/I654/NCT/3/6/ST  |
|  | Eight person bench 1600x7200mm | Fixed Top    | 8BD/I672/NCT/4/8     |
|   |                                | Sliding Top  | 8BD/I672/NCT/4/8/ST  |
|  | Ten person bench 1600x9000mm   | Fixed Top    | 8BD/I690/NCT/5/10    |
|   |                                | Sliding Top  | 8BD/I690/NCT/5/10/ST |

To make longer runs, add prefigured intermediate section(s) as required.

| Description   |   | Product Code |                     |
|---|---|--------------|---------------------|
|  | Two person intermediate section 1600x1800mm | Fixed Top    | 8BD/I618/NCT/EXT    |
|   |   | Sliding Top  | 8BD/I618/NCT/ST/EXT |






Single row desks - 1200mm sections

How to order:

**1. Select prefigured build required.**  
Prefigured workstation builds includes understructure, MFC worktops and fixings.

**2. If required, add optional items (screens, cable trays etc).**

For finishes refer to [www.kieurope.com/workstations/unitese-workstations/](http://www.kieurope.com/workstations/unitese-workstations/)

| Description  |             | Product Code        |
|--|-------------|---------------------|
|  One person bench<br>800x1200mm   | Fixed Top   | 8BD/0812/NCT/1/1    |
|  | Sliding Top | 8BD/0812/NCT/1/1/ST |
|  Two person bench<br>800x2400mm   | Fixed Top   | 8BD/0824/NCT/2/2    |
|  | Sliding Top | 8BD/0824/NCT/2/2ST  |
|  Three person bench<br>800x3600mm | Fixed Top   | 8BD/0836/NCT/3/3    |
|  | Sliding Top | 8BD/0836/NCT/3/3/ST |
|  Four person bench<br>800x4800  | Fixed Top   | 8BD/0848/NCT/4/4    |
|  | Sliding Top | 8BD/0848/NCT/4/4/ST |
|  Five person bench<br>800x6000mm | Fixed Top   | 8BD/0860/NCT/5/5    |
|  | Sliding Top | 8BD/0860/NCT/5/5/ST |

To make longer runs, add prefigured intermediate section(s) as required.

| Description  |             | Product Code            |
|--|-------------|-------------------------|
|  One person<br>intermediate section<br>800x1200mm | Fixed Top   | 8BD/0812/NCT/EXT        |
|  | Sliding Top | 8BD/0812/NCT/1/1/ST/EXT |






Single row desks - 1400mm sections

How to order:


**1. Select prefigured build required.**  
Prefigured workstation builds includes understructure, MFC worktops and fixings.

**2. If required, add optional items (screens, cable trays etc).**

For finishes refer to [www.kieurope.com/workstations/unitese-workstations/](http://www.kieurope.com/workstations/unitese-workstations/)

| Description   |             | Product Code        |
|---|-------------|---------------------|
|  One person bench<br>800x1400mm    | Fixed Top   | 8BD/0814/NCT/1/1    |
|   | Sliding Top | 8BD/0814/NCT/1/1/ST |
|  Two person bench<br>800x2800mm    | Fixed Top   | 8BD/0828/NCT/2/2    |
|   | Sliding Top | 8BD/0828/NCT/2/2/ST |
|  Three person bench<br>800x4200mm  | Fixed Top   | 8BD/0842/NCT/3/3    |
|   | Sliding Top | 8BD/0842/NCT/3/3/ST |
|  Four person bench<br>800x5600mm | Fixed Top   | 8BD/0856/NCT/4/4    |
|   | Sliding Top | 8BD/0856/NCT/4/4/ST |
|  Five person bench<br>800x7000mm | Fixed Top   | 8BD/0870/NCT/5/5    |
|   | Sliding Top | 8BD/0870/NCT/5/5/ST |

To make longer runs, add prefigured intermediate section(s) as required.

| Description  |             | Product Code            |
|--|-------------|-------------------------|
|  One person<br>intermediate section<br>800x1400mm | Fixed Top   | 8BD/0814/NCT/EXT        |
|  | Sliding Top | 8BD/0814/NCT/1/1/ST/EXT |






Single row desks - 1600mm sections

How to order:


**1. Select prefigured build required.**  
Prefigured workstation builds includes understructure, MFC worktops and fixings.

**2. If required, add optional items (screens, cable trays etc).**

For finishes refer to [www.kieurope.com/workstations/unitese-workstations/](http://www.kieurope.com/workstations/unitese-workstations/)

| Description   |                                  | Product Code |                     |
|---|----------------------------------|--------------|---------------------|
|    | One person bench<br>800x1600mm   | Fixed Top    | 8BD/0816/NCT/1/1    |
|   |                                  | Sliding Top  | 8BD/0816/NCT/1/1/ST |
|    | Two person bench<br>800x3200mm   | Fixed Top    | 8BD/0832/NCT/2/2    |
|   |                                  | Sliding Top  | 8BD/0832/NCT/2/2/ST |
|    | Three person bench<br>800x4800mm | Fixed Top    | 8BD/0848/NCT/3/3    |
|   |                                  | Sliding Top  | 8BD/0848/NCT/3/3/ST |
|  | Four person bench<br>800x6400mm  | Fixed Top    | 8BD/0864/NCT/4/4    |
|   |                                  | Sliding Top  | 8BD/0864/NCT/4/4/ST |
|   | Five person bench<br>800x8000mm  | Fixed Top    | 8BD/0880/NCT/5/5    |
|   |                                  | Sliding Top  | 8BD/0880/NCT/5/5/ST |

To make longer runs, add prefigured intermediate section(s) as required.

| Description   |   | Product Code |                         |
|---|---|--------------|-------------------------|
|  | One person intermediate section<br>800x1600mm | Fixed Top    | 8BD/0816/NCT/EXT        |
|   |   | Sliding Top  | 8BD/0816/NCT/1/1/ST/EXT |




Single row desks - 1800mm sections

How to order:


**1. Select prefigured build required.**  
Prefigured workstation builds includes understructure, MFC worktops and fixings.

**2. If required, add optional items (screens, cable trays etc).**

For finishes refer to [www.kieurope.com/workstations/unitese-workstations/](http://www.kieurope.com/workstations/unitese-workstations/)

| Description   |                                  | Product Code |                     |
|---|----------------------------------|--------------|---------------------|
|    | One person bench<br>800x1800mm   | Fixed Top    | 8BD/0818/NCT/1/1    |
|   |                                  | Sliding Top  | 8BD/0818/NCT/1/1/ST |
|    | Two person bench<br>800x3600mm   | Fixed Top    | 8BD/0836/NCT/2/2    |
|   |                                  | Sliding Top  | 8BD/0836/NCT/2/2/ST |
|    | Three person bench<br>800x5400mm | Fixed Top    | 8BD/0854/NCT/3/3    |
|   |                                  | Sliding Top  | 8BD/0854/NCT/3/3/ST |
|  | Four person bench<br>800x7200mm  | Fixed Top    | 8BD/0872/NCT/4/4    |
|   |                                  | Sliding Top  | 8BD/0872/NCT/4/4/ST |
|  | Five person bench<br>800x9000mm  | Fixed Top    | 8BD/0890/NCT/5/5    |
|   |                                  | Sliding Top  | 8BD/0890/NCT/5/5/ST |

To make longer runs, add prefigured intermediate section(s) as required.


| Description   |   | Product Code |                         |
|---|---|--------------|-------------------------|
|  | One person intermediate section<br>800x1800mm | Fixed Top    | 8BD/0818/NCT/EXT        |
|   |   | Sliding Top  | 8BD/0818/NCT/1/1/ST/EXT |

Double row | 20° workstations desks

Single row | 20° desks


How to order:  
**1. Select prefigured build required.**  
Prefigured workstation builds includes understucture, MFC worktops and fixings.  
  
**2. If required, add optional items (screens, cable trays etc).**  
  
For finishes refer to  
[www.kieurope.com/workstations/unitese-workstations/](http://www.kieurope.com/workstations/unitese-workstations/)

How to order:  
**1. Select prefigured build required.**  
Prefigured workstation builds includes understucture, MFC worktops and fixings.  
  
**2. If required, add optional items (screens, cable trays etc).**  
  
For finishes refer to  
[www.kieurope.com/workstations/unitese-workstations/](http://www.kieurope.com/workstations/unitese-workstations/)



3 Person Cluster  
Goalpost Legs



| Description | Depth  | Product Code     |
|-------------|--------|------------------|
|             | 1200mm | 8BD/1212/NCT/120 |
|             | 1600mm | 8BD/1612/NCT/120 |



| Description | Depth | Product Code     |
|-------------|-------|------------------|
|             | 600mm | 8BD/0612/NCT/120 |
|             | 800mm | 8BD/0812/NCT/120 |


Single Desk  
Goalpost Legs






| Description               | Product Code     |
|---------------------------|------------------|
| Goalpost End Leg          | 8BD/SB64GP/I6ELX |
| Hoop End Leg              | 8BD/SB64H/I6ELX  |
| Goalpost Intermediate Leg | 8BD/SB64GP/I6INT |



| Description                                | Width  | Product Code    |
|--|--------|-----------------|
| Square section horizontal connecting rails | 1000mm | 8BD/SB64/I000/R |
|  | 1200mm | 8BD/SB64/I200/R |
| 2 rails required per worktop               | 1400mm | 8BD/SB64/I400/R |
|  | 1600mm | 8BD/SB64/I600/R |
|  | 1800mm | 8BD/SB64/I800/R |
|  | 2000mm | 8BD/SB64/2000/R |





| Description   | Width           | Product Code |
|---|-----------------|--------------|
| Shallow Drop-down Cable Tray for back-to-back benches | 1200mm & 1400mm | 8BD/BDCMTS/S |
| Requires 2x Support Brackets see below                | 1600mm & 1800mm | 8BD/BDCMTL/S |



|   |        |                  |
|---|--------|------------------|
| Shallow Cable Tray Cover Plate                            |        | 8BD/SB64/CTEC/KI |
| High Capacity Zip Tie Cable Tray for back-to-back benches | 1000mm | 8BD/SB64/ZTCT/I0 |
|   | 1200mm | 8BD/SB64/ZTCT/I2 |
|   | 1400mm | 8BD/SB64/ZTCT/I4 |
| Requires 2x Support Brackets see below                    | 1600mm | 8BD/SB64/ZTCT/I6 |
|   | 1800mm | 8BD/SB64/ZTCT/I8 |
|   | 2000mm | 8BD/SB64/ZTCT/20 |




| Description   | Product Code      |
|---|-------------------|
| Variable Support Bracket for fixed top worksurfaces.<br>1 bracket. 2 required per workstation section     | 8BD/SB64/VPSB     |
| Sliding Top Support Bracket for sliding top worksurfaces<br>Pair. 1 pair required per workstation section | 8BD/SB64/S/TOP/I6 |





# Crank height adjustable cassette

# Height settable rail kit



Unite<sup>SE</sup>'s Crank Height Adjustable Cassette kits can be installed or retro-fitted at any position on a double row rectangular bench, allowing the worktop to become height adjustable from 740mm to 1005mm.

To install, simply remove the worktop and front rail and fit the cassette onto the existing connecting rail and connecting spigot on the leg.

**PLEASE NOTE:**  
Insertion of Crank Height Adjustable Cassettes necessitates removal of the Unite<sup>SE</sup> front rail which has an impact upon frame stability and therefore they should only be positioned as follows:

*I no. cassette positioned at any location within a bank of 4 double row benching. A maximum 2 cassettes positioned at any location within a bank of 6 double row benching.*

*Suitable for insertion on one side only of a 2 person double row bench when desk frame is positioned immediately adjacent to storage units which help reduce lateral movement.*

*Positioning a cassette within a single desk or row of single benching results in unacceptable instability and should therefore be avoided.*

| Description | Product Code |
|-------------|--------------|
|-------------|--------------|

|  |                        |
|--|------------------------|
| Pair of Crank Height Adjustable Uprights | 8BD/SB/HAIK/CHA/UPR/08 |
|--|------------------------|

**I pair required per worktop**

| Description | Width | Product Code |
|-------------|-------|--------------|
|-------------|-------|--------------|

|                                    |        |                       |
|------------------------------------|--------|-----------------------|
| Insert Kit Connecting Length Packs | 1200mm | 8BD/SB/HAIK/CHA/LP/12 |
|------------------------------------|--------|-----------------------|

|  |        |                       |
|--|--------|-----------------------|
|  | 1400mm | 8BD/SB/HAIK/CHA/LP/14 |
|--|--------|-----------------------|

|                                   |        |                       |
|-----------------------------------|--------|-----------------------|
| <b>I kit required per worktop</b> | 1600mm | 8BD/SB/HAIK/CHA/LP/16 |
|-----------------------------------|--------|-----------------------|

|  |        |                       |
|--|--------|-----------------------|
|  | 1800mm | 8BD/SB/HAIK/CHA/LP/18 |
|--|--------|-----------------------|

Height Adjustable Rail Kit has 3 settable positions, 765mm, 790m & 815mm, plus an additional 840mm height can be acheived using the worktop spacers. Replaces one front rail.




The telescopic rail is used to replace the height adjustable rail when not required. It allows for installation without the need to dismantle the bench.

If going back to standard desk rails order one 8BD/FK/MP

| Description   | Width  | Product Code       |
|---|--------|--------------------|
| Height adjustable rail kit.   | 1000mm | 8BD/SB64/1000/HARK |
| <b>I kit required per worktop</b>   | 1200mm | 8BD/SB64/1200/HARK |
| <b>If going back to standard desk rails order one 8BD/SB64/BOLT/RECT kit per top.</b> | 1400mm | 8BD/SB64/1400/HARK |
|   | 1600mm | 8BD/SB64/1600/HARK |
|   | 1800mm | 8BD/SB64/1800/HARK |
|   | 2000mm | 8BD/SB64/2000/HARK |



| Description  | Depth | Product Code         |
|--|-------|----------------------|
| 120° Height adjustable rail kit.   | 600mm | 8BD/SB64/120HARK/612 |
| <b>I kit required per worktop</b>  |       |                      |
| <b>If going back to standard desk rails order one 8BD/SB64/BOLT/RAD/120 kit per top.</b> | 800mm | 8BD/SB64/120HARK/812 |



| Description   | Width       | Product Code      |
|---|-------------|-------------------|
| Telescopic Rail To replace Height Adjustable rail when reverting back to fixed height | 1000-1200mm | 8BD/10-12/TS/RAIL |
| <b>I required per worktop</b>   | 1400-1600mm | 8BD/14-16/TS/RAIL |
|   | 1800-2000mm | 8BD/18-20/TS/RAIL |



Uprights

Length Packs





| Description               | Depth | Product Code    |
|---------------------------|-------|-----------------|
| Goalpost End Leg          | 600mm | 8BD/SB64GP/6ELX |
|                           | 800mm | 8BD/SB64GP/8ELX |
| Hoop End Leg              | 600mm | 8BD/SB64H/6ELX  |
|                           | 800mm | 8BD/SB64H/8ELX  |
| Goalpost Intermediate Leg | 600mm | 8BD/SB64GP/6INT |
|                           | 800mm | 8BD/SB64GP/8INT |

| Description                                | Width  | Product Code    |
|--|--------|-----------------|
| Square section horizontal connecting rails | 1000mm | 8BD/SB64/1000/R |
|  | 1200mm | 8BD/SB64/1200/R |
| 2 rails required per worktop               | 1400mm | 8BD/SB64/1400/R |
|  | 1600mm | 8BD/SB64/1600/R |
|  | 1800mm | 8BD/SB64/1800/R |
|  | 2000mm | 8BD/SB64/2000/R |

| Description   | Width  | Product Code      |
|---|--------|-------------------|
| Rail mounted single row cable trays.                              | 1000mm | 8BD/SB64/DCT/1000 |
|   | 1200mm | 8BD/SB64/DCT/1200 |
| For use with H Series and M Series screens. No brackets required. | 1400mm | 8BD/SB64/DCT/1400 |
|   | 1600mm | 8BD/SB64/DCT/1600 |
|   | 1800mm | 8BD/SB64/DCT/1800 |
|   | 2000mm | 8BD/SB64/DCT/2000 |

| Description   | Width  | Product Code     |
|---|--------|------------------|
| Drop-down single row cable trays.   | 1000mm | 8BD/HA4/CT/ST/10 |
|   | 1200mm | 8BD/HA4/CT/ST/12 |
| For use with T Series and L Series screens. Requires a pair of T Series Half Variable Support Brackets, see below | 1400mm | 8BD/HA4/CT/ST/14 |
|   | 1600mm | 8BD/HA4/CT/ST/16 |
|   | 1800mm | 8BD/HA4/CT/ST/18 |
|   | 2000mm | 8BD/HA4/CT/ST/20 |

T Series Half Variable Support Bracket for Drop Down Tray 8BD/SB64/VP/T/BKT







Single bracket. Two required. Screen sits half-on/half-off the worktop.

T Series Variable Support Bracket with Modesty Panel bracket 8BD/SB64/MST/BKT

Pair. Screen sits half-on/half-off the worktop.



| Description                          | Desk Depth | Product Code      |
|--------------------------------------|------------|-------------------|
| Single row desk sliding top brackets | 600mm      | 8BD/SB64/S/TOP/06 |
|                                      | 800mm      | 8BD/SB64/S/TOP/08 |

Pair. One pair required per worktop



Double row 120° bench components

Double row 120° bench components








| Description               | Depth  | Product Code     |
|---------------------------|--------|------------------|
| Goalpost End Leg          | 1200mm | 8BD/SB64GP/12ELX |
|                           | 1600mm | 8BD/SB64GP/16ELX |
| Hoop End Leg              | 1200mm | 8BD/SB64H/12ELX  |
|                           | 1600mm | 8BD/SB64H/16ELX  |
| Goalpost Intermediate Leg | 1200mm | 8BD/SB64GP/12INT |
|                           | 1600mm | 8BD/SB64GP/16INT |
| 120° Central Post Leg     |        | 8BD/SB64/120/CP  |

| Description  | Depth  | Product Code     |
|--|--------|------------------|
| 120° square section horizontal connecting rail kit | 1200mm | 8BD/SB64/120/612 |
| 1 rail kit required per worktop                    | 1600mm | 8BD/SB64/120/812 |

| Description  | Product Code        |
|--|---------------------|
| Shallow Drop-down Cable Tray for 120° back-to-back benches     | 8BD/SB64/120/BCT/12 |
| Requires 2x Tray Brackets see below                            |                     |
| Shallow Cable Tray Cover Plate                                 | 8BD/SB64/CTEC/K1    |
| High Capacity Zip Tie Cable Tray for 120° back-to-back benches | 8BD/SB64/ZTCT/09    |
| Requires 2x Tray Brackets see below                            |                     |



| Description                               | Product Code  |
|---|---------------|
| Variable Support Bracket                  | 8BD/SB64/VPSB |
| Single bracket. 2 required per cable tray |               |



Rails

Cable Trays

Tray Brackets





| Description  | Depth | Product Code    |
|--|-------|-----------------|
| Goalpost End Leg   | 600mm | 8BD/SB64GP/6ELX |
|  | 800mm | 8BD/SB64GP/8ELX |
| Hoop End Leg   | 600mm | 8BD/SB64H/6ELX  |
|  | 800mm | 8BD/SB64H/8ELX  |
| Goalpost Intermediate Leg<br>(for adjacent single desks) | 600mm | 8BD/SB64GP/6INT |
|  | 800mm | 8BD/SB64GP/8INT |
| 120° Corner Post Rail<br>Support Leg                     |       | 8BD/SB64/120/SL |




| Description   | Depth | Product Code     |
|---|-------|------------------|
| 120° square section<br>horizontal connecting rail kit | 600mm | 8BD/SB64/120/612 |

|                                    |       |                  |
|------------------------------------|-------|------------------|
| 1 rail kit required per<br>worktop | 800mm | 8BD/SB64/120/812 |
|------------------------------------|-------|------------------|

| Description  | Product Code     |
|--|------------------|
| Shallow Drop-down Cable<br>Tray for 120° single desk | 8BD/HA4/CT/ST/12 |

Requires 2x Tray Brackets





600mm & 800mm deep return. Available in six widths with either a Goalpost or Hoop end leg.

| Description            | Product Code    |
|------------------------|-----------------|
| 600mm Goalpost End Leg | 8BD/SB64GP/6ELX |
| 800mm Goalpost End Leg | 8BD/SB64GP/8ELX |

|                    |                |
|--------------------|----------------|
| 600mm Hoop End Leg | 8BD/SB64H/6ELX |
| 800mm Hoop End Leg | 8BD/SB64H/8ELX |

| Description   | Return Width | Product Code      |
|---|--------------|-------------------|
| 600mm Deep Return Rail kit comprising: 2 x 30mm square section rails and connecting bracket | 400mm        | 8BD/SB64/1200/RTK |
|   | 600mm        | 8BD/SB64/1400/RTK |
|   | 800mm        | 8BD/SB64/1600/RTK |
|   | 1000mm       | 8BD/SB64/1800/RTK |
|   | 1200mm       | 8BD/SB64/2000/RTK |
|   | 1400mm       | 8BD/SB64/2200/RTK |



| Description   | Return Width | Product Code        |
|---|--------------|---------------------|
| 800mm Deep Return Rail kit comprising: 2 x 30mm square section rails and connecting bracket | 400mm        | 8BD/SB64/1200/RTK/8 |
|   | 600mm        | 8BD/SB64/1400/RTK/8 |
|   | 800mm        | 8BD/SB64/1600/RTK/8 |
|   | 1000mm       | 8BD/SB64/1800/RTK/8 |
|   | 1200mm       | 8BD/SB64/2000/RTK/8 |
|   | 1400mm       | 8BD/SB64/2200/RTK/8 |

25mm MFC return worktop. Eachtop requires a Worktop Fixing Kit 8BD/SB64/BOLT/RECT. Different materials and edge details available, contact KI Sales Manager for details.

| Description  | Return Width | Price Code  |
|--|--------------|-------------|
| 600mm deep, 25mm MFC top with matching 2mm flat ABS edge | 400mm        | 8BD/0604/RT |
|  | 600mm        | 8BD/0606/RT |
|  | 800mm        | 8BD/0608/RT |
|  | 1000mm       | 8BD/0610/RT |
|  | 1200mm       | 8BD/0612/RT |
|  | 1400mm       | 8BD/0614/RT |

| Description  | Return Width | Price Code  |
|--|--------------|-------------|
| 800mm deep, 25mm MFC top with matching 2mm flat ABS edge | 400mm        | 8BD/0804/RT |
|  | 600mm        | 8BD/0806/RT |
|  | 800mm        | 8BD/0808/RT |
|  | 1000mm       | 8BD/0810/RT |
|  | 1200mm       | 8BD/0812/RT |
|  | 1400mm       | 8BD/0814/RT |


Worktop bolt fixing kit 8BD/FK/MP




Cable port options

Suitable for MFC and MDF worktops.


| Description                    | Quantity  | Product Code |
|--------------------------------|-----------|--------------|
| 80mm dia cable grommet & cover | 1 grommet | 8BD/IG       |
| Scalloped cut-out              | 1 scallop | 8BD/FS       |
| Rectangular cable port hole    | 1 port    | 8BD/ICP      |




Modesty Panel Brackets



MFC Modesty Panels



MFC End Leg Infill Panels



For Single Row benches and single desks. 300mm high, 18mm MFC modesty panel with 2mm straight edge.  
Each panel requires 2No. modesty panel support brackets and TWO packs of four bolts (8BD/FK/MP).

| Description | Product Code |
|-------------|--------------|
|-------------|--------------|

Pair Modesty Panel Support Brackets 8BD/SB64/MPB/D

Pair of Inset Modesty Panel Support Brackets 8BD/SB64/MPB/INS/D  
Mod panel sits 100mm inside of the edge of the desk

| Width | Price Code |
|-------|------------|
|-------|------------|

1000mm 8BD/0310/MOD  
1200mm 8BD/0312/MOD  
1400mm 8BD/0314/MOD  
1600mm 8BD/0316/MOD  
1800mm 8BD/0318/MOD  
2000mm 8BD/0320/MOD

Pack of 4No. M6 x 16mm button head allen bolts 8BD/FK/MP

| End Leg Width | Price Code |
|---------------|------------|
|---------------|------------|

600mm 8BD/06ELX/INF  
800mm 8BD/08ELX/INF  
1200mm 8BD/12ELX/INF  
1600mm 8BD/16ELX/INF

Infill panel fixing kit 8BD/INFILL/KIT  
1 kit per panel

Cantilevered extension top for Back-to-Back benches, 600mm deep. 25mm MFC worktop with 2mm straight edge. Supplied with inserts and fixings. Available in different shapes. contact KI Sales Manager for details. Each pair requires TWO packs of four bolts (8BD/FK/MP).

| Description | Product Code |
|-------------|--------------|
|-------------|--------------|

Pair of extension brackets 8BD/SB64/DTOPX/SB  
1 pair. (2 pairs required)

Pack of 8No. M6 x 16mm button head allen bolts 8BD/FK/MP


| Description | Price Code |
|-------------|------------|
|-------------|------------|

600x1200mm MFC extension top 8BD/0612/XT



600x1600mm MFC extension top 8BD/0616/XT

600x1600mm curved MFC extension top 8BD/0616C/RT

Brackets



MFC Tops





A Series screens

380mm high (1094mm overall from floor), 27mm fully upholstered fabric covered panels with aerodynamic frameless edge. A Series Screen can be specified in Band Y foam backed Blazer Lite only.

Add /A (or other) to the end of the code to denote band choice. For fabric options refer to [Fabric Specification Guide](#)

| Width                     | Product Code | Band A |
|---------------------------|--------------|--------|
| Non-pinnable fabric panel |              |        |

|        |             |     |
|--------|-------------|-----|
| 800mm  | A/STRA/0838 | 128 |
| 1000mm | A/STRA/1038 | 142 |
| 1200mm | A/STRA/1238 | 149 |
| 1400mm | A/STRA/1438 | 159 |
| 1600mm | A/STRA/1638 | 167 |
| 1800mm | A/STRA/1838 | 188 |

A Series screen fixings

| Description  | Product Code      |
|--|-------------------|
| Unite <sup>SE</sup> End Leg Screen Bracket<br>To mount screens below worksurface level<br>Single bracket. 1 required per screen at end leg   | 8BD/SBKT/122      |
| Unite <sup>SE</sup> Intermediate Leg Screen Bracket<br>To mount screens below worksurface level<br>Single bracket. 2 required per intermediate leg   | 8BD/SBKT/133      |
| A, E, T & L Series Screen Mounting Brackets<br>Fixes the screen directly to the Variable Support Brackets. Use with <b>inset</b> T Series screens, all types of L Series screens.<br>Single bracket. 2 required per screen | 8BD/SBKT/40       |
| A Series Half Variable Support Bracket for single row desks<br>Single bracket. Two required. Screen sits halfway over the rear of the desk. Use with drop down cable tray.   | 8BD/SB64/VP/T/BKT |

C Series screens

380mm high (1094mm overall from floor), 25mm thick fabric wrapped and stitched screen with 90mm radiused corners. For fabric options refer to [Fabric Specification Guide](#)






| Width  | Product Code |
|--------|--------------|
| 800mm  | C/T1/0838    |
| 1000mm | C/T1/1038    |
| 1200mm | C/T1/1238    |
| 1400mm | C/T1/1438    |
| 1600mm | C/T1/1638    |
| 1800mm | C/T1/1838    |
| 2000mm | C/T1/2038    |

C Series screen fixings.

| Description  | Product Code      |
|--|-------------------|
| Unite <sup>SE</sup> End Leg Screen Bracket<br>To mount screens below worksurface level<br>Single bracket. 1 required per screen at end leg   | 8BD/SBKT/122      |
| Unite <sup>SE</sup> Intermediate Leg Screen Bracket<br>To mount screens below worksurface level<br>Single bracket. 2 required per intermediate leg   | 8BD/SBKT/133      |
| A, E, T & L Series Screen Mounting Brackets<br>Fixes the screen directly to the Variable Support Brackets. Use with <b>inset</b> T Series screens, all types of L Series screens.<br>Single bracket. 2 required per screen | 8BD/SBKT/40       |
| A Series Half Variable Support Bracket for single row desks<br>Single bracket. Two required. Screen sits halfway over the rear of the desk. Use with drop down cable tray.   | 8BD/SB64/VP/T/BKT |


C Series Floor Standing Screens - 800mm Wide

| Description        | Product Code     |
|--------------------|------------------|
| 1500mm high screen | C/FS/GLIDES/1500 |
| 1800mm high screen | C/FS/GLIDES/1800 |





E Series screens



380mm high (1094mm overall from floor), 25mm thick fabric screen panel with raduised corners. 20mm gap between screen and MFC top for cable access on double row benches.


Add /A (or other) to the end of the code to denote band choice. For fabric options refer to [Fabric Specification Guide](#)

| Width                     | Product Code |
|---------------------------|--------------|
| Non-pinnable fabric panel |              |
| 800mm                     | E/ST/0838    |
| 1000mm                    | E/ST/1038    |
| 1200mm                    | E/ST/1238    |
| 1400mm                    | E/ST/1438    |
| 1600mm                    | E/ST/1638    |
| 1800mm                    | E/ST/1838    |
| Pinnable fabric panel     |              |
| 800mm                     | E/SP/0838    |
| 1000mm                    | E/SP/1038    |
| 1200mm                    | E/SP/1238    |
| 1400mm                    | E/SP/1438    |
| 1600mm                    | E/SP/1638    |
| 1800mm                    | E/SP/1838    |

E Series screen fixings


| Description  | Product Code      |
|--|-------------------|
| Unite <sup>SE</sup> End Leg Screen Bracket<br>To mount screens below worksurface level<br>Single bracket. 1 required per screen at end leg   | 8BD/SBKT/122      |
| Unite <sup>SE</sup> Intermediate Leg Screen Bracket<br>To mount screens below worksurface level<br>Single bracket. 2 required per intermediate leg   | 8BD/SBKT/133      |
| A, E, T & L Series Screen Mounting Brackets<br>Fixes the screen directly to the Variable Support Brackets. Use with <b>inset</b> T Series screens, all types of L Series screens.<br>Single bracket. 2 required per screen | 8BD/SBKT/40       |
| A Series Half Variable Support Bracket for single row desks<br>Single bracket. Two required. Screen sits halfway over the rear of the desk. Use with drop down cable tray.   | 8BD/SB64/VP/T/BKT |


E Series clasp screen



E Series one -size fabric screen to define working zones on all 25mm tops. 25mm thick screen with 4mm fabric wrapped surround trim. Push-on friction-fit for 25mm thick worksurfaces only - no fixing brackets required 352mm high from worksurface, 600mm deep from desk front edge. Add /A (or other) to the end of the code to denote band choice. For fabric options refer to [Fabric Specification Guide](#)

| Description  | Product Code |
|--------------|--------------|
| Clasp screen | E/C/600      |






400mm high (1114mm overall from floor), 30mm thick fabric panel with three sided aluminium rail surround trim (top and sides). 20mm gap between screen and MFC top for cable access on double row benches. Add screen frame colour code (eg /W) then add /A (or other) to the end of the code to denote band choice.  
For fabric options refer to [Fabric Specification Guide](#)

| Width  | Product Code | List Price (£) for Fabric Band |        |        |        |
|--|--------------|--------------------------------|--------|--------|--------|
|  |              | Band A                         | Band B | Band C | Band D |
| Single slot tool rail screens with non-pinnable fabric panel |              |                                |        |        |        |
| 800mm  | T/TI/0840    |                                |        |        |        |
| 1000mm   | T/TI/1040    |                                |        |        |        |
| 1200mm   | T/TI/1240    |                                |        |        |        |
| 1400mm   | T/TI/1440    |                                |        |        |        |
| 1600mm   | T/TI/1640    |                                |        |        |        |
| 1800mm   | T/TI/1840    |                                |        |        |        |


15mm shorter to fit at a right angle to the main screens along the spine of the bench. 368mm high (sitting on top of the worksurface, 1114mm overall from floor), 30mm thick with aluminium rail side trim and PVC top trim.  
Add screen frame colour code (eg /W) then add /A (or other) to the end of the code to denote band choice.  
For fabric options refer to [Fabric Specification Guide](#)

| Width  | Product Code |
|--|--------------|
| Single slot tool rail screens with non-pinnable fabric panel |              |
| 800mm  | T/TI/0837R   |
| 1000mm   | T/TI/1037R   |
| 1200mm   | T/TI/1237R   |
| 1400mm   | T/TI/1437R   |
| 1600mm   | T/TI/1637R   |
| 1800mm   | T/TI/1837R   |




T Series screen fixings


| Description  | Product Code      |
|--|-------------------|
| Unite <sup>SE</sup> End Leg Screen Bracket<br>To mount screens below worksurface level<br>Single bracket. 1 required per screen at end leg   | 8BD/SBKT/122      |
| Unite <sup>SE</sup> Intermediate Leg Screen Bracket<br>To mount screens below worksurface level<br>Single bracket. 2 required per intermediate leg   | 8BD/SBKT/133      |
| A, E, T & L Series Screen Mounting Brackets<br>Fixes the screen directly to the Variable Support Brackets. Use with <b>inset</b> T Series screens, all types of L Series screens.<br>Single bracket. 2 required per screen | 8BD/SBKT/40       |
| A Series Half Variable Support Bracket for single row desks<br>Single bracket. Two required. Screen sits halfway over the rear of the desk. Use with drop down cable tray.   | 8BD/SB64/MP/T/BKT |



T Series return screen fixings

| Description  | Product Code    |
|--|-----------------|
| Shared Return Screen linking kit<br>1 kit required per screen, use with the screen foot or bracket set below | 8BD/SA/LINK/KIT |
| Shared Return Screen Front Foot with rubber feet<br>Single bracket<br>1 required per screen                  | 8BD/SBKT/53     |
| Pair of Single Return Screen Brackets<br>Pair of brackets<br>1 pair required per screen                      | 8BD/SBKT/30     |






1114mm high, 30mm thick floor standing pinnable screens.

Add **/A** or **/B** to the end of the code to denote band choice.  
For fabric options refer to [Fabric Specification Guide](#)


| Width  | Product Code |
|--|--------------|
| Single slot tool rail screens with pinnable fabric panel |              |
| 800mm  | Z/T1/0811    |
| 1000mm   | Z/T1/1011    |
| 1200mm   | Z/T1/1211    |
| 1400mm   | Z/T1/1411    |
| 1600mm   | Z/T1/1611    |
| 1800mm   | Z/T1/1811    |



T Series return screen fixings.

| Description   | Product Code       |
|---|--------------------|
| 1114mm high 90° linking post<br>Enables multi-way linking of screens<br>Supplied with 2 linking/infill strips               | 8BD/LINK/POST/1100 |
| Desktop linking bracket<br>Wood screws fix into the underside of the desktop (these screws not supplied).<br>Single bracket | 8BD/SBKT/76        |
| Screen foot<br>Fits into screen post for increased stability  | 8BD/SBKT/92        |

| Description  | Product Code         |
|--|----------------------|
| Mass Cable Riser for intermediate bench leg and 800mm intermediate desk leg  | 8BD/CMLBMCR          |
| CPU Holder<br><i>When used on a single row desk, order a cable tray two sizes down. eg. On a 1600mm desk order a 1200mm cable tray</i> | 8BD/CMLBCPU          |
| Telescopic power tower   | 8BD/B8/HS/P/TOWER    |
| Magnetic Leg Cable Riser   | 8BD/B8/MCR           |
| Monitor Arm Variable Position Support Bracket<br>4mm steel   | 8BD/SB64/VPSB/4MM    |
| Single Desk Monitor Variable Position Support Bracket<br>4mm steel   | 8BD/SB64/SGL/MON/MNT |
| A4 Paper tray  | 8BD/SA/A4LT          |
| A3 Paper tray  | 8BD/SA/A3LT          |
| Trinket pot  | 8BD/SA/TRPT          |
| Vertical pen tray  | 8BD/SA/PEPT          |
| Phone holder   | 8BD/SA/PHLD          |
| Name plate   | 8BD/SA/NHLD          |
| Dry wipe board   | 8BD/SA/A4WB          |



KI products are designed and manufactured to withstand the tough demands of work environments. Care and regular light cleaning will keep the furniture looking its best for many years.

IMPORTANT CARE & SAFETY INFORMATION

- Melamine/MFMDf and other decorative worksurfaces will naturally wear over time resulting in shiny patches, particularly parts that are regularly used for mouse control and where the worksurface comes into contact with clothes, skin etc.
- **Always use mouse mats to minimise the long-term effects of continuous contact and movement within the same area of the top.**
- Once the workstations/tables have been assembled, sited and wired they should not be moved
- Never attempt to drag them across the floor; which will stress and strain the end legs
- Avoid placing your furniture in direct sunlight, as sunlight causes fading
- Mats and coasters must be used as they offer the best protection from scratches, hot liquid and water marks
- Heavy office equipment such as printers should be placed on protective pads to avoid scratches to the worksurface
- Never drag heavy equipment across a worktop as this will damage the worksurface
- Do not immerse any part of the workstations/tables in water or any liquid
- Check all cords (power, control keypad, etc.) every 6 months to make sure there are no kinked, pinched or frayed wires



Should any items of furniture require repair, please contact KI (UK) Ltd for further information.

The guide below is intended to help where furniture has become marked or stained. Please check for colour fading in a discreet area when using any detergents or chemicals. Always follow the manufacturer of the cleaning products' instructions before use.

GENERAL CARE

Proper care and careful use are the best methods of maintaining the appearance and finish of any product. Any desk or table worksurface is vulnerable to scratching and damage.

Your workstations/tables metal understructure is finished with durable powder-coated paint. Worktops are generally Melamine Faced Chipboard (MFC) or Melamine Faced Medium Density Fibreboard (MFMDf) (laminated).

Other worktop finishes e.g. Lino or Fenix NTM® should be cleaned according to the manufacturer's instructions.

Apart from regular cleaning, KI workstations are considered to be maintenance free however the following should be observed during a bench's lifetime:

FRAMEWORK

- Where cleaning of the frame is required, a mild detergent solution should be used
- Harsh abrasives, acids, alkalis or bleaching products should not be used
- Touch-up paint in all standard KI colours is available to repair minor chips and scratches. Follow the instructions on the packaging to ensure the best results.


MFC/ MFMDf WORKTOPS

- Melamine faced worksurfaces will naturally wear over time, particularly parts that are regularly rubbed. Utilizing a mouse mat will protect against this natural wear and tear.
- Work tops are easy to maintain, simply use a damp cloth and a mild detergent or non-abrasive cleaner to keep the surface clean and hygienic
- Potential stains should be removed immediately (the use of abrasive cleaners should always be avoided)
- Use an all-purpose cleaner to remove ink stains, crayon and water-based paint marks
- Use thinners to remove oil-based paint stains (pour onto a soft cloth, not directly on the surface) - avoid contact with the worktop edging, as this will cause damage
- Never use excessive water to clean work surfaces. Wetness or excessive moisture can cause laminate worktops to swell, warp or appear to grow in thickness

SCREENS

A variety of privacy and divider screens are made of an aluminium frame and fabric or fabric covered board, some styles have a powder coated frame in matching or accent colours. The same regime applies for screens frames as it does for the rest of the bench frame. For screen fabrics please refer to the specific fabric manufacturer's website for cleaning and maintenance details. Here is some general advice:

- Fabrics can be regularly vacuumed to prevent build-up of dust and dirt on the fabric surface
- Get to spills and potential stains quickly. Mop up the excess liquid using kitchen roll or a damp cloth. Then clean using a branded upholstery shampoo, detergent or hand wash according to the fabric manufacturer's instructions
- Wipe down acrylic blade screens with a soft, damp cloth and a mild detergent or non-abrasive cleaner to keep the surface clean and hygienic



## WORKSTATIONS UNITE<sup>SE</sup>

### About KI

KI's furniture helps the world's leading organisations create happy, healthy, high performing working and learning environments. Bringing together good design, advanced engineering and sustainable resources, KI's products are durable, flexible and offer excellent value.

Founded in 1941, KI has grown to become one of the world's largest, most respected furniture manufacturing groups. KI's EMEA headquarters and showroom in Central London is supported by an established network of manufacturing facilities and distribution partners across the UK, Europe and the Middle East.

### KI (UK) Ltd

91 Goswell Road  
London  
EC1V 7EX  
Tel: +44 (0)20 7404 7441  
workplace@kieurope.com  
www.kieurope.com

*KI and Furnishing Knowledge are registered  
trademarks of Krueger International Inc*

