JUNE 2025



WORKSTATIONS

CONNECT3

SPECIFICATION GUIDE





Contents General Specifications

Summary

KI's Connect3 bench & desk collection combines simple clean design with robust construction and complements KI's full range of workplace furniture. The modular platform features an innovative leg-to-rail connection. Consisting of a goalpost leg frame and single traverse rail design with KI-branded end caps, it ensures clear, unencumbered space both above and below the worksurface.

Simple in its design and built with high-quality components, it is the most easily assembled KI system product.

Workstations

Key Facts

- Designed & manufactured in the UK
- Simple, uncluttered construction, easy to assemble & reconfigure
- Screen heights align with KI's other screens, storage, breakout standards
- Drop-down cable tray
- Metal-to-metal connectivity ensures durability for long term reconfiguration
- Intermediate leg mass cable riser option
- A, E, L & T Series screens can be fitted to the worktop or directly to the frame

Configurations available:

- Back-to-back bench at fixed height (740mm) and non-sliding tops
- Single desks at fixed height (740mm) and non-sliding top
- Desk returns
- Worksurface-mounted CPU holder options

Structure

- Understructure: simple, modular, light, easy to assemble. Steel frame connected by transverse rails that support the worktops
- ullet Stable, fully welded 60mm x 30mm powder coated box section 18-gauge steel frame and rectangular tube spigot traverse rail construction.
- Standard double row depths available: 1200, 1400, 1600mm
- Standard single desk depths available: 600, 700, 800mm
- Standard widths available (double row & single desk): 1000, 1200, 1400, 1600,1800mm
- Longer runs can be achieved adding intermediate legs and additional rails
- Worktops supported by a single rail set well back from users' legs
- Return worktops can be added to the desk & bench
- Bench cantilevered meeting end option

Materials and Surfaces


- 25mm MFC square edge worktops with matching or contrasting 2mm ABS edge
- 740mm height fixed worktops available in all KI standard finishes.


IT Integration and Cable Management

- Drop-down cable trays fixed to underside of worktop
- Bench Intermediate leg mass cable riser option
- Various options for grommets and scalloped edges for cable management

Accessories

- A, E, L & T Series full width or inset screens.
- Modesty & End-leg infill panels
- Mass cable riser
- Cantilevered meeting ends











Lead Time

6 weeks

Warranty

Workstations steel understructure -25 years

 $Worktops-5\ years$

Screen fabric – Fabric manufacturer's warranty

Please refer to www.kieurope.com for product finishes.

How to Order

A list of commonly specified pre-figured builds is listed on pages 4-11. Simply order the bench required plus screens and any accessories.



Indoor Advantage Gold - Furniture

This product is certified to Indoor Advantage Gold - Furniture, making it suitable for many building rating systems, including LEED v4, BREEAM, & WELL Building.



3

I. Select prefigured build required.

Prefigured workstation builds includes complete understucture with 800mm goalpost end leg, cable trays with supports, MFC worktops and fixings.

- 2. If required, add screens and fixings as separate line items. See pages 12-25.
- 3. Add any other accessories as separate line items.

For finishes refer to https://www.kieurope.com/products/by-name/connect3-workstations/finishes/

Description	Product Code
One person bench 800x1200mm	CN3/0812/CT/1/1
Two person bench 800x2400mm	CN3/0824/CT/2/2
Three person bench 800x3600mm	CN3/0836/CT/3/3
Four person bench 800x4800	CN3/0848/CT/4/4
Five person bench 800x6000mm	CN3/0860/CT/5/5

To make longer runs, add prefigured intermediate section(s) as required.

\	Description	Product Code
	One person intermediate section 800x1200mm	CN3/0812/CT/EXT

How to orde

I. Select prefigured build required.


Prefigured workstation builds includes complete understucture with 800mm goalpost end leg, cable trays with supports, MFC worktops and fixings.

- 2. If required, add screens and fixings as separate line items. See pages 12-25.
- 3. Add any other accessories as separate line items.

For finishes refer to https://www.kieurope.com/products/by-name/connect3-workstations/finishes/

Description	Product Code	
One person bench 800x1400mm	CN3/0814/CT/1/1	
Two person bench 800x2800mm	CN3/0828/CT/2/2	
Three person bench 800x4200mm	CN3/0842/CT/3/3	
Four person bench 800x5600	CN3/0856/CT/4/4	
Five person bench 800x7000mm	CN3/0870/CT/5/5	

Description	Product Code
One person intermediate section 800x1400mm	CN3/0814/CT/EXT



I. Select prefigured build required.

Prefigured workstation builds includes complete understucture with 800mm goalpost end leg, cable trays with supports, MFC worktops and fixings.

- 2. If required, add screens and fixings as separate line items. See pages 12-25.
- 3. Add any other accessories as separate line items.

For finishes refer to https://www.kieurope.com/products/by-name/connect3-workstations/finishes/

Description	Product Code
One person bench 800x1600mm	CN3/0816/CT/1/1
Two person bench 800x3200mm	CN3/0832/CT/2/2
Three person bench 800x4800mm	CN3/0848/CT/3/3
Four person bench 800x6400mm	CN3/0864/CT/4/4
Five person bench 800x8000mm	CN3/0880/CT/5/5



\	Description	Product Code
	One person intermediate section 800x1600mm	CN3/0816/CT/EXT

How to orde

I. Select prefigured build required.


Prefigured workstation builds includes complete understucture with 800mm goalpost end leg, cable trays with supports, MFC worktops and fixings.

- 2. If required, add screens and fixings as separate line items. See pages 12-25.
- 3. Add any other accessories as separate line items.

For finishes refer to https://www.kieurope.com/products/by-name/connect3-workstations/finishes/

Description	Product Code	
One person bench 800x1800mm	CN3/0818/CT/1/1	
Two person bench 800x3600mm	CN3/0836/CT/2/2	
Three person bench 800x5400mm	CN3/0854/CT/3/3	
Four person bench 800x7200mm	CN3/0872/CT/4/4	
Five person bench 800x9000mm	CN3/0890/CT/5/5	

Description	Product Code
One person intermediate section 800x1800mm	CN3/08 8/CT/EXT



I. Select prefigured build required.

Prefigured workstation builds includes complete understucture with 1600mm goalpost end leg, hex style cable trays with supports, MFC worktops and fixings.

- 2. If required, add screens and fixings as separate line items. See pages 12-25.
- 3. Add any other accessories as separate line items.

For finishes refer to https://www.kieurope.com/products/by-name/connect3-workstations/finishes/

Description	Product Code
Two person bench 1600x1200mm	CN3/1612/CT/1/2
Four person bench 1600x2400mm	CN3/1624/CT/2/4
Six person bench 1600x3600mm	CN3/1636/CT/3/6
Eight person bench 1600x4800	CN3/1648/CT/4/8
Ten person bench 1600x6000mm	CN3/1660/CT/5/10
To make longer runs, add prefigu	red intermediate section(s) as

To make longer runs, add prefigured intermediate section(s) as required.

Description		Product Code
Two person intermediate section 1600x1200mm	Fixed Top	CN3/1612/CT/EXT

How to orde

I. Select prefigured build required.


Prefigured workstation builds includes complete understuctur with 1600mm goalpost end leg, hex style cable trays with supports, MFC worktops and fixings.

- 2. If required, add screens and fixings as separate line items. See pages 12-25.
- 3. Add any other accessories as separate line items.

For finishes refer to https://www.kieurope.com/products/by-name/connect3-workstations/finishes/

Description	Product Code	
Two person bench 1600x1400mm	CN3/1614/CT/1/2	
Four person bench 1600x2800mm	CN3/1628/CT/2/4	
Six person bench 1600x4200mm	CN3/1642/CT/3/6	
Eight person bench 1600x5600	CN3/1656/CT/4/8	
Ten person bench 1600x7000mm	CN3/1670/CT/5/10	
T -	gured intermediate section(s) as	

Description		Product Code	
Two person intermediate section I 600x I 400mm	Fixed Top	CN3/1614/CT/EXT	




I. Select prefigured build required.

Prefigured workstation builds includes complete understucture with 1600mm goalpost end leg, hex style cable trays with supports, MFC worktops and fixings.

- 2. If required, add screens and fixings as separate line items. See pages 12-25.
- 3. Add any other accessories as separate line items.

For finishes refer to https://www.kieurope.com/products/by-name/connect3-workstations/finishes/

Description	Product Code
Two person bench 1600x1600mm	CN3/1616/CT/1/2
Four person bench 1600x3200mm	CN3/1632/CT/2/4
Six person bench 1600x4800mm	CN3/1648/CT/3/6
Eight person bench 1600x6400	CN3/1664/CT/4/8
Ten person bench 1600x8000mm	CN3/1680/CT/5/10
To make longer runs, add prefi	gured intermediate section(s) as



To make longer runs, add prefigured intermediate section(s) as required.

Description		Product Code	
Two person intermediate section 1600x1600mm	Fixed Top	CN3/1616/CT/EXT	

How to order:

I. Select prefigured build required.


Prefigured workstation builds includes complete understucture with 1600mm goalpost end leg, hex style cable trays with supports, MFC worktops and fixings.


- 2. If required, add screens and fixings as separate line items. See pages 12-25.
- 3. Add any other accessories as separate line items.

For finishes refer to https://www.kieurope.com/products/by-name/connect3-workstations/finishes/

Description	Product Code	
Two person bench 600x1800mm	CN3/1618/CT/1/2	
Four person bench 1600x3600mm	CN3/1636/CT/2/4	
Six person bench 1600x5400mm	CN3/1654/CT/3/6	
Eight person bench 1600x7200	CN3/1672/CT/4/8	
Ten person bench 1600x9000mm	CN3/1690/CT/5/10	


Description		Product Code	
Two person intermediate section 1600x1800mm	Fixed Top	CN3/1618/CT/EXT	





	returns includes complete m goalpost end leg, MFC worktops and
Description	Product Code
600v400mm	CN3 /0404/PTN1


Description	Product Code
600x400mm	CN3/0604/RTN
600x600mm	CN3/0606/RTN
600x800mm	CN3/0608/RTN
600x1000mm	CN3/0610/RTN



Worktop options

130mm Deep, Dropdown Cable Tray for back-to-back benches	1200mm - 1400mm	CN3/SB64/FBCT/12- 14/130	
Includes desktop mounted support brackets	1600mm - 1800mm	CN3/SB64/FBCT/16- 18/130	

Description	Quantity	Product Code	
80mm dia grommet & cover	I Grommet	8BD/IG	-



Description	Product Code	List Price (£)
Intermediate Leg Mass Cable Riser	CN3/B8/MASS	

Description	Product Code	
Scalloped cut-out to rear	1 Scallop	8BD/FS





Each panel requires <u>one</u> bracket kit and <u>one</u> packs of eight bolts (8BD/M6-16/8PACK).

Width	Price Code
1000mm	CN3/0410/MOD
1200mm	CN3/0412/MOD
1400mm	CN3/0414/MOD
1600mm	CN3/0416/MOD
1800mm	CN3/0418/MOD
Modesty Panel Support Bracket Kit	CN3/CB/MOD/BKT
Bolt Kit (8 bolts)	8BD/M6-16/8PACK

V

End Leg Width	Price Code
600mm	CN3/06EL/INF
800mm	CN3/08EL/INF
1200mm	CN3/I2EL/INF
1400mm	CN3/14EL/INF
1600mm	CN3/16EL/INF
End Leg Infill Panel Support Bracket Kit	CN3/CB/INF/BKT
Bolt Kit (8 bolts)	8BD/M6-16/8PACK


Cantilevered extension top for Back-to-Back benches, 600mm deep. 25mm MFC worktop with 2mm straight edge. Supplied with inserts and fixings. Available in different shapes. contact KI Sales Manager for details. Each pair requires a pack of eight bolts (8BD/M6-16/8PACK).


Description	Product Code	
Pair of extension brackets (2 pairs required)	CN3/CB/D/END (1 pair)	
Pack of 8No. M6 x 16mm button head allen bolts	8BD/M6-16/8PACK	

Description	Price Code	
600x1200mm MFC extension top	CN3/0612/XT	
600x1600mm MFC	CN3/0616/XT	

600x1600mm curved MFC CN3/0616C/XT extension top

extension top






A Series screens E Series screens

380mm high (1094mm overall from floor), 27mm fully upholstered fabric covered panels with aerodynamic frameless edge. A Series Screen can be specified in Band Y - a 34mm thick foam backed, available in Blazer Lite only. Refer to page 24 for Fabric Band Options.

Add /A (or other) to the end of the code to denote band choice.

Width	Product Code
	Non-pinnable fabric panel
800mm	A/STRA/0838
1000mm	A/STRA/1038
1200mm	A/STRA/1238
1400mm	A/STRA/1438
1600mm	A/STRA/1638
1800mm	A/STRA/1838







A Series screen fixings.

Description	Product Code
Connect3 End/Intermediate Leg Screen Bracket. To mount full width screens below worksurface level on benches. 2 required per screen	CN3/SBKT/I38 (single bracket)

8BD/SBKT/46

(single bracket)

Double Row Bench Worktop Mounted CN3/SBKT/48 Inset Screen Bracket. (single bracket)
To mount inset screens below worksurface level on double row benches.

2 required per screen

Single Desk Worktop Mounted Screen Bracket. To mount full width and inset screens below worksurface level on single desks.

2 required per screen

380mm high (1094mm overall from floor), 25mm thick fabric screen panel with raduised corners. 20mm gap between screen and MFC top for cable access on double row benches.

Refer to page 24 for Fabric Band Options.


Add /A (or other) to the end of the code to denote band choice.


Width	Product Code	
	Non-pinn	able fabric panel
800mm	E/ST/0838	
1000mm	E/ST/1038	
1200mm	E/ST/1238	
1400mm	E/ST/1438	
1600mm	E/ST/1638	
1800mm	E/ST/1838	
	Pinnabl	e fabric panel
800mm	E/SP/0838	
1000mm	E/SP/1038	
1200mm	E/SP/1238	
1400mm	E/SP/1438	
1600mm	E/SP/1638	
1800mm	E/SP/1838	





2 required per screen

Description	Product Code
Connect3 End/Intermediate Leg Screen Bracket. To mount full width screens below worksurface level on benches. Single bracket 2 required per screen	CN3/SBKT/138
Double Row Bench Worktop Mounted Inset Screen Bracket. To mount inset screens below worksurface level on double row benches. Single bracket 2 required per screen	CN3/SBKT/48
Single Desk Worktop Mounted Screen Bracket. To mount full width and inset screens below worksurface level on single desks. Single bracket	8BD/SBKT/46











C Series screens L Series screens

> 380mm high (1094mm overall from floor), 25mm thick fabric gap between screen and MFC top for cable access.

Refer to page 24 for Fabric Band Options. Add /**W** or /**B** for Black or White surround strip then add /**A** (or

Width	Product Code
	Non-pinnable fabric panel
800mm	L/ST/0838
1000mm	L/ST/1038
1200mm	L/ST/1238
1400mm	L/ST/1438
1600mm	L/ST/1638
1800mm	L/ST/1838
	Pinnable fabric panel
800mm	L/SP/0838
1000mm	L/SP/1038
1200mm	L/SP/1238
1400mm	L/SP/1438
1600mm	L/SP/1638
1800mm	L/SP/1838



Description	Product Code
Connect3 End/Intermediate Leg Screen Bracket. To mount full width screens below worksurface level on benches. Single bracket 2 required per screen	CN3/SBKT/138


Double Row Bench Worktop Mounted	CN3/SBKT/48
Inset Screen Bracket.	
To mount inset screens below	
worksurface level on double row benches.	
Single bracket	
2 required per screen	

Single Desk Worktop Mounted Screen	8BD/SBKT/46
Bracket.	
T . CH . H. L	

To mount full width and inset screens below worksurface level on single desks. Single bracket

2 required per screen

Width	Product Code
800mm	C/T1/0838
1000mm	C/T1/1038
1200mm	C/T1/1238
1400mm	C/T1/1438
1600mm	C/T1/1638
1800mm	C/T1/1838
2000mm	C/T1/2038




Description	Product Code
Connect3 End/Intermediate Leg Screen Bracket. To mount full width screens below worksurface level on benches. Single bracket 2 required per screen	CN3/SBKT/138


Double Row Bench Worktop Mounted	CN3/SBKT/48
Inset Screen Bracket.	
To mount inset screens below	
worksurface level on double row benches.	
Single bracket	
2 required per screen	
\sim	


Single Desk Worktop Mounted Screen 8BD/SBKT/46 To mount full width and inset screens below worksurface level on single desks.

Single bracket 2 required per screen


Description	Product Code
I 500mm high screen	C/FS/GLIDES/1500
1800mm high screen	C/FS/GLIDES/1800

















T Series screens T Series screens


> sides). 20mm gap between screen and MFC top for cable access on double row benches. Add screen frame colour code (eg /**W**) then add /A (or other) to the end of the code to denote band

Width	Product Code				
Single slot tool rail screens with non-pinnable fabric panel					
800mm	T/T1/0840				
1000mm	T/T1/1040				
1200mm	T/T1/1240				
1400mm	T/T1/1440				
1600mm	T/T1/1640				
1800mm	T/T1/1840				
	Triple slot tool rail screens with non-pinnable fabric panel				
800mm	T/T2/0840				
1000mm	T/T2/1040				
1200mm	T/T2/1240				
1400mm	T/T2/1440				
1600mm	T/T2/1640				
1800mm	T/T2/1840				
	Single slot tool rail screens with pinnable fabric panel				
800mm	T/P1/0840				
1000mm	T/P1/1040				
1200mm	T/P1/1240				
1400mm	T/P1/1440				
1600mm	T/P1/1640				
1800mm	T/P1/1840				
	Triple slot tool rail screens with pinnable fabric panel				
800mm	T/P2/0840				
1000mm	T/P2/1040				
1200mm	T/P2/1240				
1400mm	T/P2/1440				
1600mm	T/P2/1640				
1800mm	T/P2/1840				

Add screen frame colour code (eg/W) then add/A (or other) to the end of the code to denote band choice (page 24).


Product Code				
PVC top trim with non-pinnable fabric panel				
T/T7/0840				
T/T7/1040				
T/T7/1240				
T/T7/1440				
T/T7/1640				
T/T7/1840				
PVC top trim with pinnable fabric panel				
T/P7/0840				
T/P7/1040				
T/P7/1240				
T/P7/1440				
T/P7/1640				
T/P7/1840				
	PVC top trim with non-pinnable fabric panel T/T7/0840 T/T7/1040 T/T7/1240 T/T7/1440 T/T7/1640 PVC top trim with pinnable fabric panel T/P7/0840 T/P7/1040 T/P7/1240 T/P7/1640			






Description	Product Code
Connect3 End Leg Screen Bracket To mount full width screens below worksurface level. Single Bracket I required per end leg	CN3/SBKT/136
Connect3 Intermediate Leg Screen Bracket. To mount full width screens below worksurface level. Single Bracket I required per intermediate leg	CN3/SBKT/137
Double Row Bench Worktop Mounted Inset Screen Bracket. To mount inset screens below worksurface level on double row benches. Single Bracket. 2 required per screen	CN3/SBKT/48
Single Desk Worktop Mounted Screen Bracket. To mount full width and inset screens below worksurface level on single desks. Single Bracket. 2 required per screen	8BD/SBKT/46





21



T Series return screens


T Series return screens

I5mm shorter to fit at a right angle to the main screens along the spine of the bench. 368mm high (sitting on top of the worksurface, I114mm overall from floor), 30mm thick with three sided aluminium rail surround trim (top and sides). Add screen frame colour code (eg /W) then add /A (or other) to the end of the code to denote band choice (page 24).


Width	Product Code			
Single slot tool rail screens with non-pinnable fabric panel				
800mm	T/T1/0837R			
1000mm	T/T1/1037R			
1200mm	T/T1/1237R			
1400mm	T/T1/1437R			
1600mm	T/T1/1637R			
1800mm	T/T1/1837R			
	Triple slot tool rail screens with non-pinnable fabric panel			
800mm	T/T2/0837R			
1000mm	T/T2/1037R			
1200mm	T/T2/1237R			
1400mm	T/T2/1437R			
1600mm	T/T2/1637R			
1800mm	T/T2/1837R			
	Single slot tool rail screens with pinnable fabric panel			
800mm	T/P1/0837R			
1000mm	T/P1/1037R			
1200mm	T/P1/1237R			
1400mm	T/P1/1437R			
1600mm	T/P1/1637R			
1800mm	T/P1/1837R			
	Triple slot tool rail screens with pinnable fabric panel			
800mm	T/P2/0837R			
1000mm	T/P2/1037R			
1200mm	T/P2/1237R			
1400mm	T/P2/1437R			
1600mm	T/P2/1637R			
1800mm	T/P2/1837R			

15mm shorter to fit at a right angle to the main screens along the spine of the bench. 368mm high (sitting on top of the worksurface, 1114mm overall from floor), 30mm thick with aluminium rail side trim and PVC top trim. t1/0837Add screen frame colour code (eg /**W**) then add /**A** (or other) to the end of the code to denote band choice (page 24).


Width	Product Code				
PVC top trim with non-pinnable fabric panel					
800mm	T/T7/0837R				
1000mm	T/T7/1037R				
1200mm	T/T7/1237R				
1400mm	T/T7/1437R				
1600mm	T/T7/1637R				
1800mm	T/T7/1837R				
	PVC top trim with	n pinnable fabric panel			
800mm	T/P7/0837R				
1000mm	T/P7/1037R				
1200mm	T/P7/1237R				
1400mm	T/P7/1437R				
1600mm	T/P7/1637R				
1800mm	T/P7/1837R				





1 Series return screen fixings		
Description	Product Code	
Shared Return Screen linking kit I kit required per screen, use with the screen foot or bracket set below	8BD/SA/LINK/KIT	
Shared Return Screen Front Foot with rubber feet Single bracket I required per screen	8BD/SBKT/53	
Pair of Single Return Screen Brackets Pair of brackets I pair required per screen	8BD/SBKT/30	



E Series clasp screen







Description	Product Code	Band A	Band B	Band C	Band D
Clasp screen	E/C/600				

Care & maintenace

Care & maintenace

KI products are designed and manufactured to withstand the tough demands of work environments. Care and regular light cleaning will keep the furniture looking its best for many years.

IMPORTANT CARE & SAFETY INFORMATION

- Melamine/MFMDF and other decorative worksurfaces will naturally wear over time resulting in shiny patches, particularly parts that are regularly used for mouse control and where the worksurface comes into contact with clothes, skin etc.
- Always use mouse mats to minimise the long-term effects of continuous contact and movement within the same area of the top.
- Once the workstations/tables have been assembled, sited and wired they should not be moved
- Never attempt to drag them across the floor, which will stress and strain the end legs
- Avoid placing your furniture in direct sunlight, as sunlight causes fading
- Mats and coasters must be used as they offer the best protection from scratches, hot liquid and water marks
- Heavy office equipment such as printers should be placed on protective pads to avoid scratches to the worksurface
- Never drag heavy equipment across a worktop as this will damage the worksurface
- Do not immerse any part of the workstations/tables in water or any liquid
- Check all cords (power, control keypad, etc.) every 6 months to make sure there are no kinked, pinched or frayed wires

Should any items of furniture require repair, please contact KI (UK) Ltd for further information.

The guide below is intended to help where furniture has become marked or stained. Please check for colour fading in a discreet area when using any detergents or chemicals. Always follow the manufacturer of the cleaning products' instructions before use.

GENERAL CARE

Proper care and careful use are the best methods of maintaining the appearance and finish of any product. Any desk or table worksurface is vulnerable to scratching and damage.

Your workstations/tables metal understructure is finished with durable powder-coated paint. Worktops are generally Melamine Faced Chipboard (MFC) or Melamine Faced Medium Density Fibreboard (MFMDF) (laminated).

Other worktop finishes e.g. Lino or Fenix NTM® should be cleaned according to the manufacturer's instructions.

Apart from regular cleaning, KI workstations are considered to be maintenance free however the following should be observed during a bench's lifetime:

FRAMFWORK

- Where cleaning of the frame is required, a mild detergent solution should be used
- Harsh abrasives, acids, alkalis or bleaching products should not be used
- Touch-up paint in all standard KI colours is available to repair minor chips and scratches. Follow the instructions on the packaging to ensure the best results.



MFC/ MFMDF WORKTOPS

- Melamine faced worksurfaces will naturally wear over time, particularly parts that are regularly rubbed. Utilizing a mouse mat will protect against this natural wear and tear.
- Work tops are easy to maintain, simply use a damp cloth and a mild detergent or non-abrasive cleaner to keep the surface clean and hygienic
- Potential stains should be removed immediately (the use of abrasive cleaners should always be avoided)
- Use an all-purpose cleaner to remove ink stains, crayon and water-based paint marks
- Use thinners to remove oil-based paint stains (pour onto a soft cloth, not directly on the surface) avoid contact with the worktop edging, as this will cause damage
- Never use excessive water to clean work surfaces. Wetness or excessive moisture can cause laminate worktops to swell, warp or appear to grow in thickness

SCREENS

A variety of privacy and divider screens are made of an aluminium frame and fabric or fabric covered board, some styles have a powder coated frame in matching or accent colours. The same regime applies for screens frames as it does for the rest of the bench frame. For screen fabrics please refer to the specific fabric manufacturer's website for cleaning and maintenance details. Here is some general advice:

- Fabrics can be regularly vacuumed to prevent build-up of dust and dirt on the fabric surface
- Get to spills and potential stains quickly. Mop up the excess liquid using kitchen roll or a damp cloth. Then clean using a branded upholstery shampoo, detergent or hand wash according to the fabric manufacturer's instructions
- Wipe down acrylic blade screens with a soft, damp cloth and a mild detergent or non-abrasive cleaner to keep the surface clean and hygienic



WORKSTATIONS **CONNECT3**

KI's furniture helps the world's leading organisations create happy, healthy, high performing working and $learning\ environments.\ Bringing\ together\ good\ design,\ advanced\ engineering\ and\ sustainable\ resources,\ Kl's$ products are durable, flexible and offer excellent value.

Founded in 1941, KI has grown to become one of the world's largest, most respected furniture manufacturing groups. KI's EMEA headquarters and showroom in Central London is supported by an established network of manufacturing facilities and distribution partners across the UK, Europe and the Middle East.

KI (UK) Ltd

New Fetter Place 8-10 New Fetter Lane London, EC4A IAZ Tel:+44 (0)20 7404 7441 workplace@kieurope.com www.kieurope.com/workplace









